

UF

LEX

14

**price
list
marine
2014**



SALE CONDITIONS:

1. Purchase orders: The Seller only accepts written orders sent by letter, fax or e-mail. The orders have to clearly indicate item code, description and quantity requested.

will be shipped at the current prices, unless different notice by the Buyer, at the earliest convenience on Ex works basis or together with a new order.

2. Shipments: Goods are delivered Ex works Seller's warehouses. Goods always travel at the Buyer's risk.

3. Returns and claims: Return of goods must be authorised by the Seller and shipped, freight costs at Buyer's charge, to Seller's warehouses within 30 days from purchase date. Returned items must be accompanied by a delivery note clearly indicating number and date of Seller's delivery note /commercial invoice as well as the reason for the returning.

In case of Buyer's request for substitution due to order mistakes, the Seller reserves the right to debit 10% of the goods value (with a minimum amount of € 10,00) for handling operations. The Buyer will be also charged accordingly at cost, should the product require further interventions.

The Seller does not accept claims for replacements after 8 days from delivery of goods.

4. Term of Payment: Payment terms will be established by the Seller on receipt of orders.

5. Place of jurisdiction: The Court of Genoa will have exclusive jurisdiction for any possible dispute.

NOTE: The above mentioned sales conditions are considered fully accepted on receipt of the Buyer's purchase order

General Sales conditions: this price list is valid from October 1, 2013 and will be applied to all the purchase orders received after that date.

INDEX

Uflex 2014
Catalog
page

UCS® - Hatch Lifting Systems

AV SERIES & ULYSSES SERIES ELECTRICAL HATCH LIFTERS..... page 1..... 5 - 8
6 - 8

UFLEX® - Gas Springs

BLACK PAINTED AND STAINLESS STEEL GAS SPRINGS page 1-4..... 9 - 14
MOUNTING BRACKETS page 4..... 10 - 13
14

UFLEX® - Electromechanical Trim Tabs

COMPLETE SETS, COMPONENTS AND SPARE PARTS..... page 4-5..... 15 - 20
16 - 20

INSTA-TRIM® - Boat Attitude Correction Systems

COMPLETE SETS AND SPARE PARTS..... page 5-6..... 21 - 24
22 - 24

AQUATIC AV® - Waterproof AV Marine Systems

DIGITAL MEDIA LOCKER, MEDIA CONTROL CENTER..... page 6..... 25 - 28
26
SPEAKERS, AMPLIFIERS..... page 6..... 27 - 28

RITCHIE® - Magnetic Compasses

SPORT, TREK, ANGLER & KAYAK SERIES..... page 7..... 29 - 40
30 - 33
EXPLORER, VOYAGER, HELMSMAN, VENTURE & SUPERSPORT SERIES... page 7-8..... 34 - 37
NAVIGATOR, SUPERSPORT, GLOBEMASTER SERIES..... page 8-9..... 38 - 39
SUPER YACHT SERIES..... page 9..... 40

UFLEX® - Marine Instruments

ULTRA & ULTRA WHITE SERIES..... page 9-10..... 41 - 52
42 - 43
BEIGE GOLD & ULTRAWHITE SS SERIES..... page 10-11... 44 - 45
DRESS WHITE & PROFESSIONAL SERIES..... page 11-12... 46 - 47
PERFORMANCE & CALYPSO SERIES..... page 12-13... 48 - 49
SENDERS AND ACCESSORIES..... page 13-14... 50 - 51
DIGITAL INSTRUMENTS..... page 14..... 52

WEMA® - Monitoring systems

FUEL OR WATER LEVEL INDICATORS AND SENSORS..... page 14..... 53 - 58
54
HOLDING TANK MONITORING SYSTEM..... page 14..... 55
GPS/SPEEDOMETER page 15..... 55
SILVER SERIES INSTRUMENTS..... page 15..... 56 - 58

SHURFLO® - Fresh Water and Bilge Pumps

FRESH WATER PUMPS..... page 16..... 59 - 68
60 - 62
WASHDOWN AND MULTIPURPOSE PUMPS..... page 16..... 63 - 64
PUMP ACCESSORIES AND SPARE PARTS..... page 16-17... 65 - 66
BILGE PUMPS..... page 17..... 67 - 68
IN-LINE BILGE BLOWERS..... page 17..... 68

REVERSO® - Oil Change Systems and Pumps

IMPELLER AND GEAR PUMPS..... page 17-19... 69 - 74
70 - 72
PORTABLE PUMP SYSTEMS..... page 19..... 73
FUEL PRIMING AND POLISHING SYSTEMS..... page 19..... 74

UFLEX® - Electric Pumps and Blowers

ELECTRIC PUMPS AND PRESSURE BOOSTER SETS..... page 19-21... 75 - 94
76 - 85
TWIN PRESSURE AND ELECTRONIC PRESSURE CONTROL SYSTEMS..... page 21..... 86 - 87
BRONZE SELF-PRIMING PUMPS - DELIVERY DIAGRAMS..... page 21-22... 88 - 89
CENTRIFUGAL AND HELICOIDAL BLOWERS..... page 22-23... 90 - 92
STAINLESS STEEL FIRE DAMPERS..... page 23..... 93 - 94

INDEX

Uflex 2014
Catalog
page

MARINCO® - Marine Electrical products

95 - 108

SHORE POWER PRODUCTS.....	page 23-25...	96 - 101
POLYESTER BRAIDED SLEEVINGS FOR CABLES.....	page 25.....	101
INVERTER 700W.....	page 25.....	102
HALOGEN SPOTLIGHTS AND SPARE PARTS.....	page 26.....	103 - 104
MARINE HORNS.....	page 26-27...	105 - 106
WIPER SYSTEMS.....	page 27.....	107 - 108

BEP MARINE® Circuit Breaker Panels and Electric Equipment

109 - 142

DC AND AC CIRCUIT BREAKER PANELS.....	page 28.....	110 - 112
CIRCUIT BREAKERS AND BUSSMANN® SWITCHES.....	page 28-29...	113
SPRAY PROOF SWITCH PANELS.....	page 29-30...	114 - 120
BATTERY SWITCHES.....	page 30.....	121 - 125
VOLTAGE SENSITIVE RELAYS (VSR).....	page 30.....	126 - 127
BATTERY DISTRIBUTION SYSTEMS & COMPONENTS.....	page 30-32...	128 - 137
MONITORING SYSTEMS & STAND-ALONE METERS.....	page 32-33...	138 - 141
ULTRASONIC TANK SENDER.....	page 33.....	142

WHISPER POWER® - Marine Generators and Combined Systems

143 - 161

WPC-WHISPER POWER CENTRE.....	page 33.....	144 - 146
VARIABLE SPEED DIESEL GENERATORS GENVERTER™ SERIES	page 33.....	147 - 148
FIXED RPM DIESEL GENERATORS.....	page 33-34...	149 - 153
DC BELTPOWER SYSTEMS.....	page 35.....	154
BATTERY CHARGERS, INVERTERS.....	page 35-36...	155 - 156
COMBINED SYSTEMS, CONVERTERS, BATTERY MONITORS.....	page 36.....	157 - 159
BATTERIES.....	page 36-37...	160 - 161

SINERGEX® - Battery Chargers

162

PURECHARGE™ SERIES BATTERY CHARGERS.....	page 37.....	162
--	--------------	-----

VICTRON ENERGY® - Battery Chargers, Inverters and Batteries

163 - 178

BATTERY CHARGERS AND INVERTERS.....	page 38-39...	164 - 169
INVERTER / BATTERY CHARGER COMBINED SYSTEMS.....	page 39-40...	170 - 171
DC-DC CONVERTERS, ISOLATION TRANSFORMERS & ACCESSORIES.....	page 40-41...	172 - 176
BATTERIES.....	page 41-42...	177 - 178

RE - Wind & Solar Renewable Energy

179 - 186

PRIMUS® AND SILENTWIND® WIND GENERATORS.....	page 42-43...	180 - 181
SUNWARE® AND PHOTON® PV SOLAR MODULES.....	page 43.....	182 - 183
MORNINGSTAR® - BATTERY CHARGE REGULATORS.....	page 43.....	184 - 186

HALYARD® - Silencing and Exhaust Systems

187 - 198

SILENCERS AND EXHAUST WATER SEPARATORS.....	page 44-46...	188 - 194
NOISE INSULATION MATERIALS.....	page 46.....	195 - 196
PUREGEN™		197
WAVESTREAM™ - BILGE WATER FILTRATION SYSTEMS	page 47.....	198

MARVAIR® - Marine Air Conditioning Systems

199 - 206

COMPACT AIR CONDITIONERS (SELF CONTAINED).....	page 47.....	200 - 201
SELF CONTAINED DC AIR CONDITIONERS.....	page 47.....	202
REVERSE CYCLE CHILLERS.....	page 47-48...	203 - 205
SEA WATER PUMPS AND ACCESSORIES.....	page 48-50...	206

ULTRAFLEX® - UFLEX®

207 - 208

DISPLAYS, MARKETING ITEMS.....	page 51.....	207 - 208
--------------------------------	--------------	-----------

Part No.	Model	Description	Euro
----------	-------	-------------	------

UCS® - HATCH LIFTERS

AV Series Electrical Hatch Lifters

40671C	AV 3012	Actuator complete with bracket - stroke 300 mm (12") - 12V	472,40
40672E	AV 3024	Actuator complete with bracket - stroke 300 mm (12") - 24V	507,80
40582D	AV 4512	Actuator complete with bracket - stroke 450 mm (18") - 12V	487,60
40583F	AV 4524	Actuator complete with bracket - stroke 450 mm (18") - 24V	523,10
40584H	AV 6012	Actuator complete with bracket- stroke 600 mm (24") - 12V	503,60
40585K	AV 6024	Actuator complete with bracket - stroke 600 mm (24") - 24V	539,00

ULYSSES Series - Electrical Linear Actuators

40924Q	ULYSSES 1812	Actuator complete with bracket - stroke 180 mm (7") - 12V	286,40
40926S	ULYSSES 1824	Actuator complete with bracket - stroke 180 mm (7") - 24V	286,40
40925R	ULYSSES 3012	Actuator complete with bracket - stroke 300 mm (12") - 12V	294,70
40927T	ULYSSES 3024	Actuator complete with bracket - stroke 300 mm (12") - 24V	294,70

Accessories and Spare Parts

40738Y	RB 12	Relay box 12V for AV Series actuators	127,00
40742C	RB 24	Relay box 24V for AV Series actuators	127,00
61101T	SW20	Single pole momentary switch	38,70
80382I	BR/AV	Spare mounting bracket for AV Series actuators	60,40
35697P	BR/UL	Spare mounting bracket for ULYSSES Series actuators	22,60

UFLEX® - GAS SPRINGS

Black finish, welded eyelet gas springs

Bulk packaged

64312G	U95-5	Total length 257 mm, stroke 95 mm, output force 5 kg	14,80
64313J	U95-10	Total length 257 mm, stroke 95 mm, output force 10 kg	14,80
64314L	U95-20	Total length 257 mm, stroke 95 mm, output force 20 kg	14,80
64315N	U140-10	Total length 365 mm, stroke 142 mm, output force 10 kg	16,10
64316R	U140-20	Total length 365 mm, stroke 142 mm, output force 20 kg	16,10
64317T	U140-30	Total length 365 mm, stroke 142 mm, output force 30 kg	16,10
64318V	U235-10	Total length 550 mm, stroke 234 mm, output force 10 kg	17,90
64319X	U235-20	Total length 550 mm, stroke 234 mm, output force 20 kg	17,90
64320F	U235-30	Total length 550 mm, stroke 234 mm, output force 30 kg	17,90
64321H	U235-40	Total length 550 mm, stroke 234 mm, output force 40 kg	17,90
64322K	U260-20	Total length 600 mm, stroke 262 mm, output force 20 kg	17,00
64323M	U260-30	Total length 600 mm, stroke 262 mm, output force 30 kg	17,00
64324P	U260-40	Total length 600 mm, stroke 262 mm, output force 40 kg	17,00
65297V	U300-30	Total length 683 mm, stroke 300 mm, output force 30 kg	27,70
65298X	U300-40	Total length 683 mm, stroke 300 mm, output force 40 kg	27,70
65299Z	U300-50	Total length 683 mm, stroke 300 mm, output force 50 kg	27,70

Black finish, welded eyelet gas springs

Single packaged

64412L	U95-5-b	Total length 257 mm, stroke 95 mm, output force 5 kg	16,60
64413N	U95-10-b	Total length 257 mm, stroke 95 mm, output force 10 kg	16,60
64414R	U95-20-b	Total length 257 mm, stroke 95 mm, output force 20 kg	16,60
64415T	U140-10-b	Total length 365 mm, stroke 142 mm, output force 10 kg	17,90
64416V	U140-20-b	Total length 365 mm, stroke 142 mm, output force 20 kg	17,90
64417X	U140-30-b	Total length 365 mm, stroke 142 mm, output force 30 kg	17,90
64418Z	U235-10-b	Total length 550 mm, stroke 234 mm, output force 10 kg	20,00

Part No.	Model	Description	Euro
64419B	U235-20-b	Total length 550 mm, stroke 234 mm, output force 20 kg	20,00
64420K	U235-30-b	Total length 550 mm, stroke 234 mm, output force 30 kg	20,00
64421M	U235-40-b	Total length 550 mm, stroke 234 mm, output force 40 kg	20,00
64422P	U260-20-b	Total length 600 mm, stroke 262 mm, output force 20 kg	19,10
64423S	U260-30-b	Total length 600 mm, stroke 262 mm, output force 30 kg	19,10
64424U	U260-40-b	Total length 600 mm, stroke 262 mm, output force 40 kg	19,10
65300E	U300-30-b	Total length 683 mm, stroke 300 mm, output force 30 kg	29,80
65301G	U300-40-b	Total length 683 mm, stroke 300 mm, output force 40 kg	29,80
65302J	U300-50-b	Total length 683 mm, stroke 300 mm, output force 50 kg	29,80
Black finish, threaded rod gas springs, no end fittings - UB Series			
<i>Bulk packaged</i>			
66420W	UB100-5	Total length 275 mm, stroke 100 mm, output force 5 kg	11,50
66421Y	UB100-10	Total length 275 mm, stroke 100 mm, output force 10 kg	11,50
66422A	UB100-20	Total length 275 mm, stroke 100 mm, output force 20 kg	11,50
66423C	UB120-10	Total length 315 mm, stroke 120 mm, output force 10 kg	11,70
66424E	UB120-20	Total length 315 mm, stroke 120 mm, output force 20 kg	11,70
66425G	UB120-30	Total length 315 mm, stroke 120 mm, output force 30 kg	11,70
66426J	UB150-10	Total length 375 mm, stroke 150 mm, output force 10 kg	12,00
66427L	UB150-20	Total length 375 mm, stroke 150 mm, output force 20 kg	12,00
66428N	UB150-30	Total length 375 mm, stroke 150 mm, output force 30 kg	12,00
66429R	UB180-10	Total length 445 mm, stroke 180 mm, output force 10 kg	13,80
66430Z	UB180-20	Total length 445 mm, stroke 180 mm, output force 20 kg	13,80
66431B	UB180-30	Total length 445 mm, stroke 180 mm, output force 30 kg	13,80
66432D	UB220-10	Total length 525 mm, stroke 220 mm, output force 10 kg	14,50
66433F	UB220-20	Total length 525 mm, stroke 220 mm, output force 20 kg	14,50
66434H	UB220-30	Total length 525 mm, stroke 220 mm, output force 30 kg	14,50
66436M	UB220-40	Total length 525 mm, stroke 220 mm, output force 40 kg	14,50
66437P	UB250-20	Total length 585 mm, stroke 250 mm, output force 20 kg	14,70
66438S	UB250-30	Total length 585 mm, stroke 250 mm, output force 30 kg	14,70
66439U	UB250-40	Total length 585 mm, stroke 250 mm, output force 40 kg	14,70
66440C	UB300-30	Total length 700 mm, stroke 300 mm, output force 30 kg	16,50
66441E	UB300-40	Total length 700 mm, stroke 300 mm, output force 40 kg	16,50
66442G	UB300-50	Total length 700 mm, stroke 300 mm, output force 50 kg	16,50
Black finish, threaded rod gas springs, no end fittings - UB Series			
<i>Single packaged</i>			
66443J	UB100-5-b	Total length 275 mm, stroke 100 mm, output force 5 kg	13,40
66444L	UB100-10-b	Total length 275 mm, stroke 100 mm, output force 10 kg	13,40
66445N	UB100-20-b	Total length 275 mm, stroke 100 mm, output force 20 kg	13,40
66446R	UB120-10-b	Total length 315 mm, stroke 120 mm, output force 10 kg	13,60
66447T	UB120-20-b	Total length 315 mm, stroke 120 mm, output force 20 kg	13,60
66448V	UB120-30-b	Total length 315 mm, stroke 120 mm, output force 30 kg	13,60
66449X	UB150-10-b	Total length 375 mm, stroke 150 mm, output force 10 kg	13,90
66450F	UB150-20-b	Total length 375 mm, stroke 150 mm, output force 20 kg	13,90
66451H	UB150-30-b	Total length 375 mm, stroke 150 mm, output force 30 kg	13,90
66452K	UB180-10-b	Total length 445 mm, stroke 180 mm, output force 10 kg	16,00
66453M	UB180-20-b	Total length 445 mm, stroke 180 mm, output force 20 kg	16,00
66454P	UB180-30-b	Total length 445 mm, stroke 180 mm, output force 30 kg	16,00
66455S	UB220-10-b	Total length 525 mm, stroke 220 mm, output force 10 kg	16,70
66456U	UB220-20-b	Total length 525 mm, stroke 220 mm, output force 20 kg	16,70
66457W	UB220-30-b	Total length 525 mm, stroke 220 mm, output force 30 kg	16,70

Part No.	Model	Description	Euro
66458Y	UB220-40-b	Total length 525 mm, stroke 220 mm, output force 40 kg	16,70
66459A	UB250-20-b	Total length 585 mm, stroke 250 mm, output force 20 kg	16,90
66460J	UB250-30-b	Total length 585 mm, stroke 250 mm, output force 30 kg	16,90
66461L	UB250-40-b	Total length 585 mm, stroke 250 mm, output force 40 kg	16,90
66462N	UB300-30-b	Total length 700 mm, stroke 300 mm, output force 30 kg	18,70
66463R	UB300-40-b	Total length 700 mm, stroke 300 mm, output force 40 kg	18,70
66464T	UB300-50-b	Total length 700 mm, stroke 300 mm, output force 50 kg	18,70
66510X	KB01	2 ball joint fitting kit for UB Series gas springs	2,60
<i>Stainless steel threaded rod gas springs, no end fittings - USS Series</i>			
<i>Bulk packaged</i>			
66465V	USS100-5	Total length 275 mm, stroke 100 mm, output force 5 kg	40,30
66466X	USS100-10	Total length 275 mm, stroke 100 mm, output force 10 kg	40,30
66467Z	USS100-20	Total length 275 mm, stroke 100 mm, output force 20 kg	40,30
66468B	USS120-10	Total length 315 mm, stroke 120 mm, output force 10 kg	41,20
66469D	USS120-20	Total length 315 mm, stroke 120 mm, output force 20 kg	41,20
66470M	USS120-30	Total length 315 mm, stroke 120 mm, output force 30 kg	41,20
66471P	USS150-10	Total length 375 mm, stroke 150 mm, output force 10 kg	42,20
66472S	USS150-20	Total length 375 mm, stroke 150 mm, output force 20 kg	42,20
66473U	USS150-30	Total length 375 mm, stroke 150 mm, output force 30 kg	42,20
66474W	USS180-10	Total length 445 mm, stroke 180 mm, output force 10 kg	46,30
66475Y	USS180-20	Total length 445 mm, stroke 180 mm, output force 20 kg	46,30
66476A	USS180-30	Total length 445 mm, stroke 180 mm, output force 30 kg	46,30
66477C	USS220-10	Total length 525 mm, stroke 220 mm, output force 10 kg	52,70
66478E	USS220-20	Total length 525 mm, stroke 220 mm, output force 20 kg	52,70
66479G	USS220-30	Total length 525 mm, stroke 220 mm, output force 30 kg	52,70
66480R	USS220-40	Total length 525 mm, stroke 220 mm, output force 40 kg	52,70
66481T	USS250-20	Total length 585 mm, stroke 250 mm, output force 20 kg	54,10
66482V	USS250-30	Total length 585 mm, stroke 250 mm, output force 30 kg	54,10
66483X	USS250-40	Total length 585 mm, stroke 250 mm, output force 40 kg	54,10
66484Z	USS300-30	Total length 700 mm, stroke 300 mm, output force 30 kg	56,40
66485B	USS300-40	Total length 700 mm, stroke 300 mm, output force 40 kg	56,40
66486D	USS300-50	Total length 700 mm, stroke 300 mm, output force 50 kg	56,40
<i>Stainless steel threaded rod gas springs, no end fittings - USS Series</i>			
<i>Single packaged</i>			
66487F	USS100-5-b	Total length 275 mm, stroke 100 mm, output force 5 kg	42,20
66488H	USS100-10-b	Total length 275 mm, stroke 100 mm, output force 10 kg	42,20
66489K	USS100-20-b	Total length 275 mm, stroke 100 mm, output force 20 kg	42,20
66490U	USS120-10-b	Total length 315 mm, stroke 120 mm, output force 10 kg	43,10
66491W	USS120-20-b	Total length 315 mm, stroke 120 mm, output force 20 kg	43,10
66492Y	USS120-30-b	Total length 315 mm, stroke 120 mm, output force 30 kg	43,10
66493A	USS150-10-b	Total length 375 mm, stroke 150 mm, output force 10 kg	44,10
66494C	USS150-20-b	Total length 375 mm, stroke 150 mm, output force 20 kg	44,10
66495E	USS150-30-b	Total length 375 mm, stroke 150 mm, output force 30 kg	44,10
66496G	USS180-10-b	Total length 445 mm, stroke 180 mm, output force 10 kg	48,50
66497J	USS180-20-b	Total length 445 mm, stroke 180 mm, output force 20 kg	48,50
66498L	USS180-30-b	Total length 445 mm, stroke 180 mm, output force 30 kg	48,50
66499N	USS220-10-b	Total length 525 mm, stroke 220 mm, output force 10 kg	54,90
66500U	USS220-20-b	Total length 525 mm, stroke 220 mm, output force 20 kg	54,90
66501W	USS220-30-b	Total length 525 mm, stroke 220 mm, output force 30 kg	54,90
66502Y	USS220-40-b	Total length 525 mm, stroke 220 mm, output force 40 kg	54,90

Part No.	Model	Description	Euro
66503A	USS250-20-b	Total length 585 mm, stroke 250 mm, output force 20 kg	56,30
66504C	USS250-30-b	Total length 585 mm, stroke 250 mm, output force 30 kg	56,30
66505E	USS250-40-b	Total length 585 mm, stroke 250 mm, output force 40 kg	56,30
66506G	USS300-30-b	Total length 700 mm, stroke 300 mm, output force 30 kg	58,60
66507J	USS300-40-b	Total length 700 mm, stroke 300 mm, output force 40 kg	58,60
66508L	USS300-50-b	Total length 700 mm, stroke 300 mm, output force 50 kg	58,60
66514F	KSS01	2 stainless steel ball bearing fitting kit for USS Series gas springs	8,20
66512B	KSS02	2 stainless steel eyelet fitting kit for USS Series gas springs	8,20
Mounting Brackets for eyelet fittings			
64327W	SI 20	Stainless steel bracket and stud - flat bracket	6,00
65289W	SSN 20	Stainless steel bracket and stud with self-locking nut - flat bracket	6,40
64328Y	SI 21	Stainless steel bracket and stud - square bent bracket	6,50
65290E	SSN 21	Stainless steel bracket and stud with self-locking nut - bent bracket	6,80
64329A	SI 22	Stainless steel bracket and stud - square bent bracket	6,50
65291G	SSN 22	Stainless steel bracket and stud with self-locking nut - bent bracket	8,50
64325S	SP 10	Black thermoplastic brackets with zinc plated steel stud	5,60
64326U	SP 11	Black thermoplastic brackets with zinc plated steel stud	6,60
Mounting Brackets for ball joint fittings			
66540G	SB10	Stainless steel bracket and stud - flat bracket	4,90
66541J	SB11	Stainless steel bracket and stud - square bent bracket	6,40
66542L	SB12	Stainless steel bracket and stud - square bent bracket	6,40
UFLEX® - ELECTROMECHANICAL TRIM TABS			
MTW12 - Packaged White Actuator Set			
42551C	MTW12	2 white Actuators 12VDC + 1 Easyjoy Joystick	805,80
MTB12 - Packaged Black Actuator Set			
42550A	MTB12	2 black Actuators 12VDC + 1 Easyjoy Joystick	805,80
<i>Tabs are not included :selected size has to be specified when ordering</i>			
Components			
42548P	AW12	12VDC White Actuator and Brackets	310,70
41839W	AB12	12VDC Black Actuator and Brackets	310,70
41849Z	Joystick-1	Joystick for master station	184,40
42306N	Joystick-2	Joystick for fly bridge station	118,50
Mirror Polished Stainless Steel Tabs			
41844N	P99	9"x 9" Stainless steel tabs - 1 pair	107,60
41845R	P912	9"x 12" Stainless steel tabs - 1 pair	119,20
41846T	P1212	12"x 12" Stainless steel tabs - 1 pair	154,40
41847V	P1218	12"x 18" Stainless steel tabs - 1 pair	210,20
Standard Stainless Steel Tabs			
42650E	NP99	9"x 9" Stainless steel tabs - 1 pair	76,50
42653L	NP912	9"x 12" Stainless steel tabs - 1 pair	79,60
42651G	NP1212	12"x 12" Stainless steel tabs - 1 pair	113,40
42652J	NP1218	12"x 18" Stainless steel tabs - 1 pair	169,90
Optional Components			
42378R	KE20	Extension wiring harness kit. Deutsch plugs included	155,40
42379T	KE30	Extension wiring harness kit. Deutsch plugs included	165,30
41853P	KEJ2-20	6 m (19.7') Extension kit for second station. Deutsch plugs included	86,00
42375J	KEJ2-30	9 m (29.5') Extension kit for second station. Deutsch plugs included	89,50

Part No.	Model	Description	Euro
42376L	KEK-7	2 m (6.5') Ext. auto line-up to ignition key. Deutsch plugs included	71,30
42377N	KENS-7	2 m (6.5') Ext. auto line-up to neutral safety switch. Deutsch included	14,40
42441V	KA70	Anode kit Φ 70 mm	12,40
42442X	KA90	Anode kit Φ 90 mm	20,60
41855U	BNKW	Bennet® replacement adapting bracket - white	34,00
42360V	BNKB	Bennet® replacement adapting bracket - black	34,00
Spare Parts			
42297R	BRS-W	Actuator-boat connecting bracket - white	32,00
42298T	BRS-B	Actuator-boat connecting bracket - black	32,00
42295L	BRT-W	Actuator-tab connecting bracket - white	38,20
42296N	BRT-B	Actuator-tab connecting bracket - black	38,20
42440T		Wiring harness extension for power cable 5,0 m (16.4')	58,00
42302E		Wiring harness extension for power cable 6,0 m (19.7')	72,50
42439J		Wiring harness extension for power cable 9,0 m (29.5')	82,40

INSTA-TRIM® - BOAT ATTITUDE CORRECTION SYSTEMS

Complete Sets 12V - one cylinder per tab

61080N	Complete set 250 X 205 mm (10"x 8")	710,50
60096U	Complete set 300 x 205 mm (12"x 8")	710,50
60194Y	Complete set 460 x 205 mm (18 x 8")	746,20
60197B	Complete set 300 x 280 mm (12"x 11")	760,40
60953P	Complete set 350 x 280 mm (14"x 11")	767,60
60198E	Complete set 460 x 280 mm (18"x 11")	789,40
60199F	Complete set 610 x 280 mm (24"x 11")	824,70
60195Z	Complete set 610 x 205 mm (24"x 8")	774,70
60196A	Complete set 760 x 205 mm (30"x 8")	810,40

Complete Sets 24V - one cylinder per tab

64425W	Complete set 250 X 205 mm (10"x 8")	710,50
64426Y	Complete set 300 x 205 mm (12"x 8")	710,50
64427A	Complete set 460 x 205 mm (18 x 8")	746,20
63656L	Complete set 300 x 280 mm (12"x 11")	760,40
64428C	Complete set 350 x 280 mm (14"x 11")	767,60
61082P	Complete set 460 x 280 mm (18"x 11")	789,40
62607S	Complete set 610 x 280 mm (24"x 11")	824,70
64429E	Complete set 610 x 205 mm (24"x 8")	774,70
64430N	Complete set 760 x 205 mm (30"x 8")	810,40

Complete sets 12V - two cylinders per tab

60262M	Complete set 920 x 205 mm (36"x 8")	1.145,40
60828N	Complete set 1020 x 205 mm (40"x 8")	1.195,40

Complete sets 24V - two cylinders per tab

61822R	Complete set 920 x 205 mm (36"x 8")	1.145,40
61241I	Complete set 1020 x 205 mm (40"x 8")	1.195,40

Complete Sets Less Tabs 12V

60834J	Complete set less tabs	603,40
60835K	Complete set less tabs - dual cylinder	795,70

Complete Sets Less Tabs 24V

61083Q	Complete set less tabs	603,40
61215G	Complete set less tabs - dual cylinder	795,70

Part No.	Model	Description	Euro
Accessories			
62595M		Tab indicator for single station -black	454,40
62596P		Tab indicator for flybridge - black	256,90
62597S		Tab indicator for single station -white	454,40
62598U		Tab indicator for flybridge - white	256,90
63222A		Water resistant rocker switch round	160,00
63736J		Universal Motor Pump 12V DC	617,20
Spare Parts			
60863O		Rocker switch	180,40
60996E		Complete motor pump unit for 2 cilynders 12V	694,50
60869W		Complete motor pump unit for 2 cilynders 24V	822,70
61769P		Complete motor pump unit for 4 cilynders 12V	705,20
61770Y		Complete motor pump unit for 4 cilynders 24V	822,70
60856P		Wiring 25'	149,60
60912G		Green solenoid - 12V	139,40
60911F		White solenoid - 12V	139,40
61231G		Oil reservoir	96,20
60905H		Oil (1 pint) - 0,6 litres	40,60
60854N		Hose 30' (9 metres)	211,60
60853M		Hydraulic cylinder with hose	245,80
60997F		Cylinder pin	3,30
60855O		Nylon cylinder brackets (4 pcs.)	136,80
63813A		Cylinder bracket (1 pc.)	34,20
61081O		Stainless steel tabs 10" x 8" - pair	107,10
60836L		Stainless steel tabs 12" x 8" - pair	107,10
60837M		Stainless steel tabs 18" x 8" - pair	142,80
60840H		Stainless steel tabs 12" x 11" - pair	157,00
60952O		Stainless steel tabs 14" x 11" - pair	164,20
60841I		Stainless steel tabs 18" x 11" - pair	186,00
60842J		Stainless steel tabs 24" x 11" - pair	221,30
60838P		Stainless steel tabs 24" x 8" - pair	171,30
60839Q		Stainless steel tabs 30" x 8" - pair	207,00
60843K		Stainless steel tabs 36" x 8" for dual cylinder - pair	349,70
60844L		Stainless steel tabs 40" x 8" for dual cylinder - pair	399,70

AQUATIC AV® - WATERPROOF AV MARINE SYSTEMS

Digital Media Locker			
68874Z	AQ-DM-4U	Waterproof Locker supports USB, i-Phone, i-Pod, MP3, FM	232,10
DVD Media Control Center			
68242J	AQ-DVD-4B	Reproduction for DVD, CD, i-Phone, i-Pod ,USB, MP3, AM/FM	497,10
68251K	Q-WR-4F	Wired Remote Control	122,10
68252M	AQ-EXT-12	3,5 m (12') Extension cable	23,60
68335S	AQ-EXT-24	7,2 m (24') Extension cable	35,40
Waterproof Speakers			
68245R	AQ-SPK7.5-DW	7.5" Waterproof White Speakers - 1 pair	111,00
68246T	AQ-SPK7.5-SG	7.5" Waterproof Silver Speakers - 1 pair	122,10
66876D	AQ-SPK8.0-4	8" Waterproof Silver Speakers - 1 pair	265,70
Wireless RF Handheld Remote Control			
68244N	AQ-RF-34	Waterproof Wireless RF Handheld Remote Control	92,70
Amplifier			
68877F	AQ-AD300.2	Shockwave 2 Channel Amplifier	351,50

Part No.	Model	Description	Euro
RITCHIE® - MAGNETIC COMPASSES			
<i>SPORT® Series - dial app. dia. 2" (51mm)</i>			
67099B	X-10-M	Bracket mount - grey housing and blue card	51,50
67331C	X-10W-M	Bracket mount - white housing and card	51,50
67332E	X-10B-M	Bracket mount - black housing and card	51,50
67333G	X-21BB	Dash mount - black housing and card	65,90
67334J	X-21BU	Dash mount - black housing and blue card	65,90
67335L	X-21WW	Dash mount - white housing and card	65,90
<i>TREK® Series - dial app. dia. 2¼" (57mm)</i>			
67346S	TR-35	Flush mount - black housing and card	73,70
67347U	TR-35W	Flush mount - white housing and card	73,70
67348W	TR-35G	Flush mount - grey housing and blue card	73,70
67349Y	TR-31	Bracket mount - grey housing and black card	73,70
67350G	TR-31W	Bracket mount - white housing and card	73,70
67351J	TR-31G	Bracket mount - grey housing and blue card	73,70
67100G	TR-33	Surface mount - black housing and card	73,70
67101J	TR-33W	Surface mount - white housing and card	73,70
67316G	TR-33G	Surface mount - grey housing and blue card	73,70
<i>ANGLER® Series for Fishing Boats - dial app. dia. 2¾" (70mm)</i>			
67352L	RA-91	Bracket mount - grey housing and blue card	100,00
67353N	RA-93	Surface mount - grey housing and blue card	100,00
67354R	S-OFF90	Surface mount - black housing and card	100,00
67355T	E-50-C	Protective Cover for RA-93, S-OFF90 compasses - sold separately	32,00
<i>KAYAK compasses - dial app. dia. 3" (76mm)</i>			
68295G	XP-99	Kayak Compass - black	102,70
68296J	XP-99W	Kayak Compass - white	102,70
68297L	K-TD.2	Fixing system (compass non included)	46,90
<i>EXPLORER™ Series - dial app. dia. 2¾" (70mm)</i>			
67102L	F-50	Flush mount - black housing and card	89,30
67317J	F-50W	Flush mount - white housing and card	89,30
67103N	B-51	Bracket mount - black housing and card	100,00
67356V	B-51W	Bracket mount - white housing and card	100,00
67318L	B-51G	Bracket mount - grey housing and blue card	100,00
67104R	S-53	Surface mount - black housing and card	89,30
67320X	S-53W	Surface mount - white housing and card	89,30
67319N	S-53G	Surface mount - grey housing and blue card	89,30
67358Z	V-57.2	Dash mount - black housing and card	108,10
67359B	V-57W.2	Dash mount - white housing and card	108,10
67360K	V-537	Bulkhead mount - black housing and card	113,50
67361M	V-537B	Bulkhead mount - black housing and blue card	113,50
67362P	V-537W	Bulkhead mount - black housing and white card	113,50
67357X	D-55	Deck mount - black housing and card	102,70
67355T	E-50-C	Protective Cover for F-50, S-53, D-55 compasses - sold separately	32,00
<i>VOYAGER® Series - dial app. dia. 3" (76mm)</i>			
67365W	D-84	Deck mount - black housing and card	220,70
67105T	F-82	Flush mount - black housing and card	158,00
67367A	F-82W	Flush mount - white housing and card	158,00
67106V	F-83	Flush mount - black housing and card	158,00

Part No.	Model	Description	Euro
67321Z	F-83W	Flush mount - white housing and card	158,00
67363S	B-80	Bracket mount - black housing and card	215,70
67364U	B-81WM	Bracket mount - black housing and card	215,70
67322B	S-87	Surface mount - black housing and card	206,30
67366Y	S-87W	Surface mount - white housing and card	206,30
67368C	V-80-C	Protective Cover for D-84, F-82, B-80 compasses - sold separately	35,00
67369E	V-83-C	Protective Cover for F-83, B-81, S-87 compasses - sold separately	35,00
HELMSMAN™ Series - dial app. dia. 3¾" (94mm)			
67373V	HF-742	Flush mount - black housing and card	214,20
67323D	HF-742W	Flush mount - white housing and card	214,20
67107X	HF-743	Flush mount - black housing and card	214,20
67375Z	HF-743W	Flush mount - white housing and card	214,20
67370N	HB-740	Bracket mount - black housing and card	315,10
67371R	HB-741	Bracket mount - black housing and card	315,10
67108Z	HD-744	Deck mount - black housing and card	342,20
67372T	HD-745	Deck mount - black housing and card	342,20
67376B	H-741-C	Protective Cover for Helmsman compasses - sold separately	35,00
VENTURE® & SUPERSPORT™ Series - dial app. dia. 3¾" (94mm)			
67109B	SR-2	Venture® - bulkhead mount - black housing and blue card	247,20
67377D	SS-1002	Supersport™ - flush mount - black housing and blue card	256,20
67378F	SS-1002W	Supersport™ - flush mount - white housing and blue card	256,20
67380S	SS-PR2	Supersport™ - bulkhead mount - black housing and blue card	334,40
67381U	INC-45	Inclinometer replacement for Venture® SR-2 compass	27,60
67382W	SR-CM2	Compensator for Venture® SR-2 compass - sold separately	30,40
68878H	BK-0019ASY	Protective front Cover for Venture® and SS-PR2 - sold separately	36,90
68879K	BK-0020	Protective back Cover for Venture® and SS-PR2 - sold separately	21,00
67376B	H-741-C	Protective Cover for SS-1002 compasses - sold separately	35,00
NAVIGATOR™ & SUPERSPORT™ Series - dial app. dia. 4½" (114mm)			
67324F	BN-202	Navigator™ - bulkhead mount - black housing and red card	541,40
67386E	FN-201	Navigator™ - flush mount - black housing and card	458,70
67325H	FNW-201	Navigator™ - flush mount - white housing and card	458,70
67326K	FN-203	Navigator™ - flush mount - black housing and card	475,20
67387G	FNW-203	Navigator™ - flush mount - white housing and card	475,20
67379H	SS-2000	Supersport™ - flush mount - black housing and blue card	470,40
67327M	SS-2000W	Supersport™ - flush mount - white housing and blue card	470,40
67391X	DNB-200	Navigator™ - binnacle mount - black housing and card	691,10
67392Z	DNW-200	Navigator™ - binnacle mount - white housing and card	691,10
67393B	DNP-200	Navigator™ - binnacle mount - stainless housing and black card	691,10
67403B	WS-P	Weather shield for DN-200 compass - sold separately	32,00
67394D	BN-C	Protective Cover for BN-202 compass - sold separately	39,50
67395F	N-203-C	Protective Cover FN-201, FN-203, SS-2000, DN-200 - sold separately	36,50
GLOBEMASTER® & SUPERSPORT™ Series - dial app. dia. 5" (127mm)			
67329S	SP-5B	Globmaster™ - deck & binnacle mount - black housing and card	1.193,20
67328P	SP-5C	Globmaster™ - deck & binnacle mount - stainless housing, black card	1.193,20
67396H	D-515-EP	Globmaster™ - deck & binnacle mount - stainless housing, black card	2.179,40
67397K	D-515-X	Globmaster™ - deck & binnacle mount - brass housing, black card	2.179,40
67398M	FB-500	Globmaster™ - flush mount - black housing and card	763,80
67399P	SS-5000	Supersport™ - flush mount - black housing and blue card	772,40
67400V	SS-5000W	Supersport™ - flush mount - white housing and blue card	772,40

Part No.	Model	Description	Euro
67401X	GM-5-C	Protective Cover for SP-5, D-515-EP compasses - sold separately	75,90
67402Z	LL-C	Protective Cover for FB-500, SS-5000 compasses- sold separately	47,40
67403B	WS-P	Weather shield for SP-5, D-515-EP compasses	32,00
		<i>24 Volt or 32 Volt Night Lighting - additional cost</i>	16,80
SUPER YACHT Series			
67494H	SY-500LL	5" Compass, low level lighting - bronze bezel	1.506,90
67495K	SY-500PL	5" Compass, power lighting - bronze bezel	1.506,90
67496M	SY-500LLC	5" Compass, low level lighting - chrome bezel	1.657,90
67497P	SY-500PLC	5" Compass, power lighting - chrome bezel	1.657,90
67498S	SY-600LL	6" Compass, low level lighting - bronze bezel	1.907,40
67499U	SY-600PL	6" Compass, power lighting - bronze bezel	1.907,40
67500Z	SY-600LLC	6" Compass, low level lighting - chrome bezel	2.058,40
67501B	SY-600PLC	6" Compass, power lighting - chrome bezel	2.058,40
67946T	SK-615-C	6" Compass, low level lighting - chrome plated	5.642,70
67947V	SK-615-X	6" Compass, low level lighting - polished brass	5.323,80
		<i>24 Volt or 32 Volt Night Lighting - additional cost</i>	16,80

UFLEX® - MARINE INSTRUMENTS

ULTRA Series

60738G	Tachometer for gas inboard and I/O's	84,50
60509S	Tachometer for outboards	84,50
60510J	Tachometer for diesel	84,50
61766H	Tachometer 0-7000+Hourmeter	143,00
62049H	Tachometer 0-4000+Hourmeter	143,00
60512L	Speedometer - 30 knot	44,60
60513M	Speedometer - 50 knot	44,60
60514N	Speedometer - 70 knot	44,60
60518T	Fuel level	26,00
60520L	Tank level	26,00
60521M	Oil pressure 5 Bar	26,00
60522N	Oil pressure 10 Bar	26,00
60523O	Transmission pressure 25 Bar	26,00
60526R	Water temperature - 40-120 °C	26,00
60529W	Voltmeter 10-16V DC	26,00
60741Z	Voltmeter 20-32V DC	26,00
60530Q	Hourmeter	61,40
60532S	Ammeter 60-0-60	20,60
62080B	Battery condition indicator	35,70
60531R	Quartz analog clock	97,30
60517Q	Synchronizer	94,80
60699U	Rudder angle indicator	42,80
61655Y	Mercury trim gauge	26,00
62045Z	OMC trim gauge	26,00
62047D	Yamaha trim gauge	26,00
61076N	Electronic Flux-gate Compass 4"	99,60

ULTRA WHITE Series

60691K	Tachometer for gas inboard and I/O's	84,50
60533T	Tachometer for outboards	84,50
60534U	Tachometer for diesel	84,50
61767K	Tachometer 0-7000+Hourmeter	143,00

Prices subject to change without notice

Part No.	Model	Description	Euro
62050S		Tachometer 0-4000+Hourmeter	143,00
60536W		Speedometer - 30 knot	44,60
60537X		Speedometer - 50 knot	44,60
60538A		Speedometer - 70 knot	44,60
60542U		Fuel level	26,00
60544W		Tank level	26,00
60545X		Oil pressure 5 Bar	26,00
60546Y		Oil pressure 10 Bar	26,00
60547Z		Transmission pressure 25 Bar	26,00
60550U		Water temperature - 40-120 °C	26,00
60553X		Voltmeter 10-16V DC	26,00
60742A		Voltmeter 20-32V DC	26,00
60554Y		Hourmeter	61,40
60540S		Ammeter 60-0-60	20,60
62081D		Battery condition indicator	35,70
60539B		Quartz analog clock	97,30
60541T		Syncronizer	94,80
60700Q		Rudder angle indicator	42,80
62044X		Mercury trim gauge	26,00
62046B		OMC trim gauge	26,00
62048F		Yamaha trim gauge	26,00
61077O		Electronic Flux-gate Compass 4"	99,60
BEIGE GOLD Series			
62053Y		Tachometer for gas inboard and I/O's	102,70
62051U		Tachometer for outboards	102,70
62054A		Tachometer for diesel	102,70
62055C		Tachometer 0-7000+Hourmeter	163,00
62056E		Tachometer 0-4000+Hourmeter	163,00
62057G		Speedometer - 30 knot	68,50
62058J		Speedometer - 50 knot	68,50
62059L		Speedometer - 70 knot	68,50
62063B		Fuel level	39,70
62067K		Tank level	39,70
62065F		Oil pressure 5 Bar	39,70
62066H		Oil pressure 10 Bar	39,70
62077N		Transmission pressure 25 Bar	39,70
62073E		Water temperature - 40-120 °C	39,70
62071A		Voltmeter 10-16V DC	39,70
62072C		Voltmeter 20-32V DC	39,70
62064D		Hourmeter	74,10
62060V		Ammeter 60-0-60	32,30
62061X		Battery condition indicator	49,80
62062Z		Quartz analog clock	113,40
62074G		Syncronizer	128,90
62076L		Rudder angle indicator	55,40
62068M		Mercury trim gauge	39,70
62069P		OMC trim gauge	39,70
62070Y		Yamaha trim gauge	39,70
62078R		Electronic Flux-gate Compass 4"	99,60

Part No.	Model	Description	Euro
ULTRAWHITE SS Series			
62004J		Tachometer for gas inboard and I/O's	91,20
62003G		Tachometer for outboards	91,20
62005L		Tachometer for diesel	91,20
62006N		Tachometer 0-7000+Hourmeter	148,10
62007R		Tachometer 0-4000+Hourmeter	148,10
62008T		Speedometer - 30 knot	52,70
62009V		Speedometer - 50 knot	52,70
62010D		Speedometer - 70 knot	52,70
62014M		Fuel level	30,50
62018W		Tank level	30,50
62016S		Oil pressure 5 Bar	30,50
62017U		Oil pressure 10 Bar	30,50
62052W		Transmission pressure 25 Bar	30,50
62024R		Water temperature - 40-120 °C	30,50
62022L		Voltmeter 10-16V DC	30,50
62023N		Voltmeter 20-32V DC	30,50
62015P		Hourmeter	65,10
62011F		Ammeter 60-0-60	23,50
61012H		Battery condition indicator	39,90
62013K		Quartz analog clock	107,00
62025T		Synchronizer	119,20
62027X		Rudder angle indicator	46,40
62019Y		Mercury trim gauge	30,50
62020G		OMC trim gauge	30,50
62021J		Yamaha trim gauge	30,50
62079T		Electronic Flux-gate Compass 4"	99,60
DRESS WHITE Series			
62656F		Tachometer for gas inboard and I/O's	88,40
62657H		Tachometer for outboards	88,40
62658K		Tachometer for diesel	88,40
62659M		Tachometer 0-7000+Hourmeter	143,80
62660W		Tachometer 0-4000+Hourmeter	143,80
62661Y		Speedometer - 30 knot	49,50
62662A		Speedometer - 50 knot	49,50
62663C		Speedometer - 70 knot	49,50
62664E		Fuel level	29,00
62665G		Tank level	29,00
62666J		Oil pressure 5 Bar	29,00
62667L		Oil pressure 10 Bar	29,00
62668N		Transmission pressure 25 Bar	29,00
62669R		Water temperature - 40-120 °C	29,00
62670Z		Voltmeter 10-16V DC	21,30
62671B		Voltmeter 20-32V DC	29,00
62672D		Hourmeter	64,20
62673F		Ammeter 60-0-60	21,30
62674H		Battery condition indicator	40,10
62676M		Quartz analog clock	105,50
62677P		Synchronizer	105,50
62678S		Rudder angle indicator	43,30

Part No.	Model	Description	Euro
62679U		Mercury trim gauge	29,00
62680C		OMC trim gauge	29,00
62681E		Yamaha trim gauge	29,00
62675K		Electronic Flux-gate Compass 4"	99,60
PROFESSIONAL Series			
63196C		Tachometer for gas inboard and I/O's	90,20
63197E		Tachometer for outboards	90,20
63198G		Tachometer for diesel	90,20
63199J		Tachometer 0-7000+Hourmeter	146,20
63200P		Tachometer 0-4000+Hourmeter	146,20
63201S		Speedometer - 30 knot	50,80
63202U		Speedometer - 50 knot	50,80
63203W		Speedometer - 70 knot	50,80
63204Y		Fuel level	29,10
63205A		Tank level	29,10
63206C		Oil pressure 5 Bar	29,10
63207E		Oil pressure 10 Bar	29,10
63208G		Transmission pressure 25 Bar	29,10
63209J		Water temperature - 40-120 °C	29,10
63210T		Voltmeter 10-16V DC	29,10
63211V		Voltmeter 20-32V DC	29,10
63212X		Hourmeter	67,60
63213Z		Ammeter 60-0-60	21,70
63214B		Battery condition indicator	37,80
63216F		Clock	109,90
63217H		Synchronizer	109,00
63218K		Rudder angle indicator	43,40
63219M		Mercury and Yamaha trim gauge	29,10
63220W		OMC trim gauge	29,10
PERFORMANCE Series			
65316W		Tachometer for gas inboard and I/O's	105,40
65315U		Tachometer for outboards	105,40
65317Y		Tachometer for diesel	105,40
65318A		Tachometer 0-7000+Hourmeter	160,80
65319C		Tachometer 0-4000+Hourmeter	160,80
65320L		Speedometer - 30 knot	68,00
65321N		Speedometer - 50 knot	68,00
65322R		Speedometer - 70 knot	68,00
65323T		Fuel level	52,20
65324V		Tank level	52,20
65325X		Oil pressure 5 Bar	52,20
65326Z		Oil pressure 10 Bar	52,20
65327B		Transmission pressure 25 Bar	52,20
65328D		Water temperature - 40-120 °C	52,20
65329F		Voltmeter 10-16V DC	52,20
65330P		Voltmeter 20-32V DC	52,20
65331S		Hourmeter	83,90
65332U		Ammeter 60-0-60	37,70
65333W		Battery condition indicator	56,70
65334Y		Synchronizer	128,50

Part No.	Model	Description	Euro
65335A		Rudder angle indicator	58,00
65336C		Mercury and Yamaha trim gauge	52,20
65337E		OMC trim gauge	52,20
CAL YPSO Series			
66639C		Tachometer for gas inboard and I/O's	124,10
66638A		Tachometer for outboards	124,10
66640L		Tachometer for diesel	124,10
66642R		Speedometer - 30 knot	70,60
66643T		Speedometer - 50 knot	70,60
66644V		Speedometer - 70 knot	70,60
66645X		Fuel level	52,80
66660T		Tank level	52,80
66646Z		Oil pressure 5 Bar	52,80
66647B		Oil pressure 10 Bar	52,80
66659J		Transmission pressure 25 Bar	52,80
66648D		Water temperature - 40-120 °C	52,80
66649F		Voltmeter 10-16V DC	52,80
66656C		Voltmeter 20-32V DC	52,80
66650P		Hourmeter	74,20
66655A		Ammeter 60-0-60	45,80
66657E		Battery condition indicator	78,30
66651S		Quartz analog clock	116,30
66641N		Syncronizer	146,30
66658G		Rudder angle indicator	78,30
66653W		Mercury and Yamaha trim gauge	52,80
66652U		Suzuki trim gauge	52,80
Senders and Accessories			
60613S		Diesel tachometer sender	161,20
60515O		Pitot tube kit	9,20
60516P		Pitot tube kit w/ 20' tubing	21,40
61717U		20' tubing for Pitot tube	12,30
60525Q		Oil pressure sender 5 Bar - single station	61,30
60610P		Oil pressure sender 5 Bar - dual station	54,40
60611Q		Oil pressure sender 10 Bar - single station	132,10
60612R		Oil pressure sender 10 Bar - dual station	149,90
60528V		Water temperature sender 1/8" NPTF - single station	19,50
60614T		Water temperature sender 1/8" NPTF - dual station	16,10
66180C		Fuel level sender 20-60 cm - single station	38,30
60701R		Rudder angle sender - single station	194,30
60702S		Rudder angle sender - dual station	209,70
60618Z		Bushing kit 1/8" NPTF - M10x1	11,10
60619A		Bushing kit 1/8" NPTF - M12x1	11,10
60620R		Bushing kit 1/8" NPTF - M16x1,5	12,40
60621S		24V kit for tachometer and synchronizer	13,80
60623U		24V kit for ammeter and speedometer	13,80
60703T		24V kit for water temperature	11,10
60704U		24V kit for oil pressure, fuel level, tank level, rudder angle	11,10
60696P		Fuel level sender installation kit	24,30

Part No.	Model	Description	Euro
Fuel Level Kit			
66234Z		Ultra Series fuel level gauge and sender 20 - 60 cm	60,30
66235B		Ultra White Series fuel level gauge and sender 20 - 60 cm	60,30
Instruments - Promotional Items			
67315E		Black display	57,50
62564A		White display	57,50
90075V		Packaging for 53 mm (2" hole dia.) instruments	4,30
90076W		Packaging for 85 mm (3.3" hole dia.) instruments	4,90
Digital Instrument in Dress White style			
62777U		Depth Sounder	248,20
64311E		Depth Sender	153,50

WEMA® - MARINE INSTRUMENTS

Water and Fuel Level Indicators			
65836Z	FUEL B	Fuel level idicator - black	39,30
65837B	FUEL W	Fuel level idicator - white	39,30
65838D	WATER B	Water level idicator - black	39,30
65839F	WATER W	Water level idicator - white	39,30
67869B	FUEL/B-S	Fuel level idicator - black, silver bezel	54,10
67870K	FUEL/W-S	Fuel level idicator - white, silver bezel	54,10
67871M	WATER/B-S	Water level idicator - black, silver bezel	54,10
67872P	WATER/W-S	Water level idicator - white, silver bezel	54,10
Water and Fuel Sensors			
64689H	S5-E150	Fuel/water sensor - length 150 mm - 5.9"	46,90
64690S	S5-E175	Fuel/water sensor - length 175 mm - 6.9"	48,60
64691U	S5-E200	Fuel/water sensor - length 200 mm - 7.9"	50,20
64692W	S5-E225	Fuel/water sensor - length 225 mm - 8.9"	52,00
64693Y	S5-E250	Fuel/water sensor - length 250 mm - 9.8"	53,70
64694A	S5-E275	Fuel/water sensor - length 275 mm - 10.8"	55,50
64695C	S5-E300	Fuel/water sensor - length 300 mm - 11.8"	57,20
64696E	S5-E350	Fuel/water sensor - length 350 mm - 13.8"	59,80
64697G	S5-E400	Fuel/water sensor - length 400 mm - 15.7"	62,30
64698J	S5-E450	Fuel/water sensor - length 450 mm - 17.7"	64,90
64699L	S5-E500	Fuel/water sensor - length 500 mm - 19.7"	70,00
64700S	S5-E550	Fuel/water sensor - length 550 mm - 21.7"	74,00
64701U	S5-E600	Fuel/water sensor - length 600 mm - 23.6"	80,90
68417U	FL-2	Spare Flange for S5-E Sensors	5,90
Holding Tank Level Monitoring System			
64683V	HTG/B	Holding tank indicator -black	39,30
64684X	HTG/W	Holding tank indicator -white	39,30
68402E	HTG/WS	Holding tank indicator -white dial, silver bazel	54,10
64685Z	S3H-1	Holding tank sensor - length 100 mm - 3.9"	54,60
64686B	S3H-2	Holding tank sensor - length 205 mm - 8.0"	66,70
64687D	S3H-3	Holding tank sensor - length 305 mm - 12.0"	74,90
64688F	S3H-4	Holding tank sensor - length 410 mm - 16.1"	81,20
64719P	HFL	Flange for sensors	17,00

Part No.	Model	Description	Euro
GPS/Speedometer			
68021S	IGPS-BB-15	GPS/SPEEDO black dial and bezel, 15 knots	220,80
68023W	IGPS-BB-30	GPS/SPEEDO black dial and bezel, 30 knots	220,80
66878X	IGPS-BB-60	GPS/SPEEDO black dial and bezel, 60 knots	220,80
68024Y	IGPS-WW-30	GPS/SPEEDO white dial and bezel, 30 knots	220,80
66879Z	IGPS-WW-60	GPS/SPEEDO white dial and bezel, 60 knots	220,80
68400A	IGPS-BS-15	GPS/SPEEDO black dial, silver bezel, 15 knots	242,80
68403G	IGPS-BS-30	GPS/SPEEDO black dial, silver bezel, 30 knots	242,80
68195C	IGPS-BS-60	GPS/SPEEDO black dial, silver bezel, 60 knots	242,80
68401C	IGPS-WS-15	GPS/SPEEDO white dial, silver bezel, 15 knots	242,80
68452W	IGPS-WS-30	GPS/SPEEDO white dial, silver bezel, 30 knots	242,80
SILVER Series Marine Instruments			
67873S	IMHB-BS-4K	Tachometer 0-4000+Hourmeter - black, silver bezel	109,40
67874U	IMHB-WS-4K	Tachometer 0-4000+Hourmeter - white, silver bezel	109,40
67875W	IMHB-BS-8K	Tachometer 0-8000+Hourmeter - black, silver bezel	109,40
67876Y	IMHB-WS-8K	Tachometer 0-8000+Hourmeter - white, silver bezel	109,40
67877A	ICUR-BS	Hourmeter - black, silver bezel	112,60
67878C	ICUR-WS	Hourmeter - white, silver bezel	112,60
67879E	IPTR-BS	Water temperature Indicator - black, silver bezel	56,10
67880N	IPTR-WS	Water temperature Indicator - white, silver bezel	56,10
67881R	IPYR-BS	Oil temperature Indicator - black, silver bezel	56,10
67882T	IPYR-WS	Oil temperature Indicator - white, silver bezel	56,10
67883V	IORP-BS-02	Oil pressure Indicator 0-2 Bar - black, silver bezel	56,10
67884X	IORP-WS-02	Oil pressure Indicator 0-2 Bar - white, silver bezel	56,10
67885Z	IORP-BS-05	Oil pressure Indicator 0-5 Bar - black, silver bezel	56,10
67886B	IORP-WS-05	Oil pressure Indicator 0-5 Bar - white, silver bezel	56,10
67887D	IORP-BS-010	Oil pressure Indicator 0-10 Bar - black, silver bezel	56,10
67888F	IORP-WS-010	Oil pressure Indicator 0-10 Bar - white, silver bezel	56,10
67889H	IORP-BS-025	Oil pressure Indicator 0-25 Bar - black, silver bezel	56,10
67890S	IORP-WS-025	Oil pressure Indicator 0-25 Bar - white, silver bezel	56,10
67891U	IMRR-BS	Rudder angle indicator - black, silver bezel	93,80
67892W	IMRR-WS	Rudder angle indicator - white, silver bezel	93,80
68451U	ROD-5	Sender for rudder angle indicator	93,40
67893Y	IMCR-BS	Clock - black, silver bezel	99,80
67894A	IMCR-WS	Clock - white, silver bezel	99,80
67895C	TRIM-BS	Trim indicator - black, silver bezel	93,80
67896E	TRIM-WS	Trim indicator - white, silver bezel	93,80
67899L	IPVR-BS-8/16	Voltmeter 8-16V- black, silver bezel	56,10
67900S	IPVR-WS-8/16	Voltmeter 8-16V- white, silver bezel	56,10
67903Y	IEVR-BS-8/32	Voltmeter 8-32V- black, silver bezel	70,00
67904A	IEVR-WS-8/32	Voltmeter 8-32V white, silver bezel	70,00
67905C	AMP-KIT -BS	Ammeter - black, silver bezel	185,90
67906E	AMP-KIT -WS	Ammeter - white silver bezel	185,90
Spare Bezels			
68028G		Black bezel for 85 mm gauges	5,70
68030O		Silver bezel for 85 mm gauges	5,70

Part No.	Model	Description	Euro
SHURFLO® - FRESH WATER PUMPS			
<i>Aqua King™ Automatic Demand Pumps</i>			
68851L		Aqua King™ SLV pump 1.0 GPM (3,8 l/min), 30 PSI (2 Bar), 12VDC	73,20
65338G		Aqua King™ Junior pump 2.0 GPM (7,6 l/min), 30 PSI (2 Bar), 12VDC	112,60
65339J		Aqua King™ Standard pump 3.0 GPM (11,4 l/min), 45 PSI (3,1 Bar), 12VDC	119,60
65340T		Aqua King™ Standard pump 3.0 GPM (11,4 l/min), 45 PSI (3,1 Bar), 24VDC	119,60
65341V		Aqua King™ Premium pump 4.0 GPM (15,1 l/min), 45 PSI (3,1 Bar), 12VDC	150,40
<i>Aqua King™ II Supreme Automatic Demand Pumps</i>			
68806F		Aqua King™ II Supreme pump 4.0 GPM (15,1 l/min), 55 PSI (3,8 Bar), 12V DC	150,40
68850J		Aqua King™ II Supreme pump 4.0 GPM (15,1 l/min), 55 PSI (3,8 Bar), 24V DC	223,90
68804B		Aqua King™ II Supreme pump 5.0 GPM (18,9 l/min), 55 PSI (3,8 Bar), 12V DC	196,70
68805D		Aqua King™ II Supreme pump 5.0 GPM (18,9 l/min), 55 PSI (3,8 Bar), 24V DC	238,00
<i>Extreme™ Series Smart Sensor™ Pumps</i>			
65342X		Smart Sensor pump 4.0 GPM (15,1 l/min), 45 PSI (3,1 Bar), 24VDC	260,90
63194Y		Smart Sensor pump 5.0 GPM (18,9 l/min), 60 PSI (4,1 Bar), 12VDC	229,10
64335V		Smart Sensor pump 5.0 GPM (18,9 l/min), 60 PSI (4,1 Bar), 24VDC	277,30
63735G		High Flow Strainer for Smart Sensor™ Pumps	37,40
65368S		Mounting bracket for High Flow Strainer	18,30
<i>Washdown Pumps</i>			
66560N		Problaster Junior pump 2.0 GPM (7,6 l/min), 30 PSI (2 Bar), 12VDC	133,30
65862A		Blaster pump 3.5 GPM (13,2 l/min), 45 PSI (3,1 Bar), 12VDC	140,20
65863C		Blaster pump 3.5 GPM (13,2 l/min), 45 PSI (3,1 Bar), 24VDC	140,60
64337Z		Extreme™ Problaster pump 5.3 GPM (20,1 l/min), 45 PSI (3,1 Bar), 12VDC	234,20
64338B		Extreme™ Problaster pump 5.3 GPM (20,1 l/min), 45 PSI (3,1 Bar), 24VDC	225,60
<i>Pro Washdown kit</i>			
65303L		Pro Washdown kit 4.0 GPM (15,1 l/min), 45 PSI (3,1 Bar), 12VDC	265,80
<i>Sanitation Waste Pumps</i>			
62767R		Macerator pump 13 GPM (50 l/min), 12VDC	270,70
62768T		Macerator pump 13 GPM (50 l/min), 24VDC	263,20
<i>Oil Change, Winterizing and Liquid Transfer System</i>			
64681R		System complete with 13 litres (3.5 gal) storage container	225,10
<i>Pre-pressurized Accumulator Tank</i>			
65861Y		Nylon Accumulator Tank - volume 0,7 litres	99,30
<i>Pressure Regulated City Water Entry</i>			
63378J		Wall mount city water entry - chrome	60,00
64717K		Wall mount city water entry - white	51,70
65306T		Hose adapter fittings 1/2"NPT(F)x3/4"GSH(M)	3,50
<i>Accessories for Fresh Water Pumps</i>			
63185X		In-line Strainer 13mm (1/2") thread	59,10
66526N		Swivel Nut Strainer 13mm (1/2") thread	38,60
61125F		Inline Check Valve	40,20
61120A		High Pressure Blaster Nozzle	20,70
<i>Fittings</i>			
61129L		Straight fitting 1/2" NPT(f) x 3/8" barb swivel	4,50
61130C		Elbow fitting 1/2" NPT (f) x 3/8" barb swivel	3,10
61127H		Straight fitting 1/2" NPT (f) x 1/2" barb swivel	3,40

Part No.	Model	Description	Euro
61128K		Elbow fitting 1/2" NPT (f) x 1/2" wing nut swivel	5,30
64220B		Straight fitting 1/2" NPT (f) x 3/4" wing nut swivel	4,50
64340M		Elbow fitting 1/2" NPT (f) x 3/4" wing nut swivel	4,50
61132E		Straight adaptor 1/2" FPT (m) x 1/2" barb swivel	2,70
Spare Parts for Fresh Water Pumps			
67484E		Valve Kit - Junior, Standard, Blaster, Problaster Junior pumps	55,10
67485G		Drive Kit for Junior, Standard, Blaster, Problaster Junior pumps	83,80
67483C		Upper Housing/Switch kit - Junior, Standard, Blaster, Problaster Junior pumps	33,10
67480W		Pressure Switch - Junior, Standard, Blaster, Problaster Junior pumps	112,00
67481Y		Pressure Switch - Premium pump	85,00
63432M		Impeller for Macerator pump	31,30
Spare Parts for old model Fresh Water Pumps			
61214F		Valve Kit - Junior, Standard, Premium pumps	34,70
61217I		Drive Kit - Junior pump	81,20
61216H		Drive Kit - Standard pump	79,00
63180L		Drive Kit - Premium and Blaster pumps	81,20
63181N		Upper Housing/Switch kit - Junior, Standard, Premium, Blaster pumps	29,30
61413K		Upper Housing/Switch kit - Junior pump 12VDC	68,80
62526S		Upper Housing/Switch kit - Standard pump 12VDC, 30 PSI	68,80
63182R		Upper Housing/Switch kit - Standard, Premium, Blaster 12/24V	80,60
61721J		Complete Pump Head - Junior pump 12VDC	76,10
61768M		Complete Pump Head - Standard pump 12VDC, 30 PSI	151,20
63183T		Complete Pump Head - Standard pump 24V DC, 45 PSI	151,20
63184V		Complete Pump Head - Premium, Blaster pumps 12/24V, 45 PSI	117,00
SHURFLO® - BILGE PUMPS			
66527R		380 GPH (24 l/min), 12VDC	36,60
66528T		500 GPH (32 l/min), 12VDC	33,10
66529V		700 GPH (42 l/min), 12VDC	33,10
66530D		1000 GPH (63 l/min), 12VDC	34,60
66531F		1500 GPH (94,6 l/min), 12VDC	116,30
66532H		1500 GPH (94,6 l/min), 24VDC	116,40
66533K		2000 GPH (126 l/min), 12VDC	119,90
66534M		2000 GPH (126 l/min), 24VDC	128,60
Float Switches			
66535P		12V/24V DC Standard Float Switch - Automatic	26,50
66536S		12V/24V DC Protected Cage Float Switch - Automatic	29,30
65840P		12V DC Wema® switch for Bile Pumps	28,00
SHURFLO® - YELLOW TAIL™ IN-LINE BILGE BLOWERS			
64703Y		3" In-line Bilge Blower - 130x140x100 mm - 12V DC	33,50
64704A		4" In-line Bilge Blower - 130x160x120 mm - 12VDC	42,70
REVERSO® - OIL CHANGE SYSTEM AND PUMPS			
OP-6 Oil change impeller pumps			
61475W	OP-6-12	Oil change Pump with switch lock - 12V DC	441,40
61555U	OP-6-24	Oil change Pump with switch lock - 24V DC	441,40
Oil change impeller pumps - Manifold systems			
61632K	OP-702-12	Manifold System 2 valves - 12V DC	976,00
61633M	OP-702-24	Manifold System 2 valves - 24V DC	976,00
61474U	OP-703-12	Manifold System 3 valves - 12V DC	1.137,90

Part No.	Model	Description	Euro
61554S	OP-703-24	Manifold System 3 valves - 24V DC	1.137,90
61567B	OP-704-12	Manifold System 4 valves - 12V DC	1.220,40
61568D	OP-704-24	Manifold System 4 valves - 24V DC	1.220,40
61476Y	OP-705-12	Manifold System 5 valves - 12V DC	1.342,60
61569F	OP-705-24	Manifold System 5 valves - 24V DC	1.342,60
61634P	OP-706-12	Manifold System 6 valves - 12V DC	1.443,40
61635S	OP-706-24	Manifold System 6 valves - 24V DC	1.443,40
Oil change or diesel fuel transfer gear pumps			
<i>Light duty</i>			
66086L	GP-201-12	Gear Pump 2 GPM (7,6 l/min) - 12V DC	334,50
66087N	GP-201-24	Gear Pump 2 GPM (7,6 l/min) - 24V DC	334,50
62779Y	GP-301-12	Gear Pump 3 GPM (11,6 l/min) - 12V DC	441,40
62780G	GP-301-24	Gear Pump 3 GPM (11,6 l/min) - 24V DC	441,40
<i>Medium duty</i>			
62781J	GP-302-12	Gear Pump 3,5 GPM (13 l/min) - 12V DC	716,40
62782L	GP-302-24	Gear Pump 3,5 GPM (13 l/min) - 24V DC	716,40
66088R	GP-301-AC	Gear Pump 3,6 GPM (13,6 l/min) - 220V	1.312,00
<i>Heavy duty</i>			
65047V	GP-602-12	Gear Pump 6 GPM (23 l/min) - 12V DC	914,90
62765L	GP-602-24	Gear Pump 6 GPM (23 l/min) - 24V DC	914,90
66089T	GP-602-AC	Gear Pump 8,5 GPM (32,2 l/min) - 220V	1.831,30
Oil change or diesel fuel transfer gear pumps - Manifold systems			
<i>Light duty</i>			
63279G	GP-3012-12	Gear Pump Manifold System 2 valves - 12V DC	1.000,40
63280R	GP-3012-24	Gear Pump Manifold System 2 valves - 24V DC	1.000,40
63281T	GP-3013-12	Gear Pump Manifold System 3 valves - 12V DC	1.159,30
63282V	GP-3013-24	Gear Pump Manifold System 3 valves - 24V DC	1.159,30
63283X	GP-3014-12	Gear Pump Manifold System 4 valves - 12V DC	1.250,90
63284Z	GP-3014-24	Gear Pump Manifold System 4 valves - 24V DC	1.250,90
63285B	GP-3015-12	Gear Pump Manifold System 5 valves - 12V DC	1.357,80
63286D	GP-3015-24	Gear Pump Manifold System 5 valves - 24V DC	1.357,80
63287F	GP-3016-12	Gear Pump Manifold System 6 valves - 12V DC	1.464,80
62963R	GP-3016-24	Gear Pump Manifold System 6 valves - 24V DC	1.464,80
<i>Medium duty</i>			
62811R	GP-3023-12	Gear Pump Manifold System 3 valves - 12V DC	1.739,70
62812T	GP-3023-24	Gear Pump Manifold System 3 valves - 24V DC	1.739,70
62813V	GP-3024-12	Gear Pump Manifold System 4 valves - 12V DC	1.800,80
62814X	GP-3024-24	Gear Pump Manifold System 4 valves - 24V DC	1.800,80
62815Z	GP-3025-12	Gear Pump Manifold System 5 valves - 12V DC	1.877,10
62816B	GP-3025-24	Gear Pump Manifold System 5 valves - 24V DC	1.877,10
<i>Heavy Duty</i>			
62783N	GP-703-12	Gear Pump Manifold System 3 valves - 12V DC	2.488,10
62363P	GP-703-24	Gear Pump Manifold System 3 valves - 24V DC	2.488,10
62784R	GP-704-12	Gear Pump Manifold System 4 valves - 12V DC	2.573,60
62785T	GP-704-24	Gear Pump Manifold System 4 valves - 24V DC	2.573,60
62787X	GP-705-12	Gear Pump Manifold System 5 valves - 12V DC	2.640,80
62362M	GP-705-24	Gear Pump Manifold System 5 valves - 24V DC	2.640,80
62788Z	GP-706-12	Gear Pump Manifold System 6 valves - 12V DC	2.747,70
62789B	GP-706-24	Gear Pump Manifold System 6 valves - 24V DC	2.747,70
Valve Assemblies			
61477A	VA-2	Valve Block Assembly - 2 valves	241,40
61572U	VA-3	Valve Block Assembly - 3 valves	297,90

Part No.	Model	Description	Euro
64741G	VA-4	Valve Block Assembly - 4 valves	320,80
62976A	VA-5	Valve Block Assembly - 5 valves	352,90
Oil change impeller pumps - Portable System			
61478C	OP-700-12	Portable Oil Change System (dipstick connect) 12V DC	609,50
61612D	OP-700-24	Portable Oil Change System (dipstick connect) 24V DC	609,50
Gear pumps - Portable System			
63278E	GP-301P-12	Portable Oil Change Gear Pump System 12V DC	609,50
63924K	GP-301P-24	Portable Oil Change Gear Pump System 24V DC	609,50
Fuel Priming Systems with Engine Protection Switch			
62790K	FP-301-12 SL15	Left-to-Right flow at low pressure - white base 12V DC	1.250,90
64109K	FP-301-12 SL22	Left-to-Right flow at high pressure - white base 12V DC	1.250,90
62791M	FP-301-24 SL15	Left-to-Right flow at low pressure - white base 24V DC	1.250,90
64110U	FP-301-24 SL22	Left-to-Right flow at high pressure - white base 24V DC	1.250,90
62328M	FP-301-24 SR15	Right-to-Left flow at low pressure - white base 24V DC	1.250,90
64113A	FP-301-24 SR22	Right-to-Left flow at high pressure - white base 24V DC	1.250,90
62792P	FPC-301-12 SL15	Left-to-Right flow at low pressure - black base 12V DC	1.250,90
64111W	FPC-301-12 SL22	Left-to-Right flow at high pressure - black base 12V DC	1.250,90
62793S	FPC-301-24 SL15	Left-to-Right flow at low pressure - black base 24V DC	1.250,90
64112Y	FPC-301-24 SL22	Left-to-Right flow at high pressure - black base 24V DC	1.250,90
Diesel Fuel Polishing Systems			
66090B	FPS80-S01-12	Fuel Polishing System 300 l/h (80 GPH) - 12V DC	3.664,10
66091D	FPS80-S02-24	Fuel Polishing System 300 l/h (80 GPH) - 24V DC	3.664,10
63925M	FPS150-S01-12	Fuel Polishing System 570 l/h (150 GPH) - 12V DC	5.069,20
63269D	FPS150-S02-24	Fuel Polishing System 570 l/h (150 GPH) - 24V DC	5.069,20
63926P	FPS210-S02-220	Fuel Polishing System 795 l/h (210 GPH) - 220V	6.718,80
Spare Parts			
61636U	360010	Impeller (Nitrile) OP-6 (use for oil transfer)	47,30
61637W	360014	Chemical resistant impeller-use for diesel fuel application	47,30
61638Y	360120	Gasket for OP-6 - Rubber	13,30
61639A	SRK-360	Repair Kit - contains 1oil/water impeller and gasket	55,80
61640J	97360-2	Repair Kit - contains 2 oil/water impeller and gasket	81,00
61641L	SRK-370	Repair Kit - contains 1diesel/oil impeller and gasket	55,80
61642N	97370-2	Repair Kit - contains 2 diesel/oil impeller and gasket	111,30
61643R	36003	3 way Switch (on-off-on)	39,50

UFLEX® - ELECTRIC PUMPS AND BLOWERS

ELECTRIC PUMPS

Bronze self-priming Electric Pumps for liquid and sea water transfer applications

64809R	U020-12	Self-priming Electric Pump 28 l/min (7.4 GPM) - 12 VDC	410,00
64812D	U020-24	Self-priming Electric Pump 28 l/min (7.4 GPM) - 24 VDC	410,00
64810Z	U025-12	Self-priming Electric Pump 52 l/min (13.7 GPM) - 12 VDC	523,00
64813F	U025-24	Self-priming Electric Pump 52 l/min (13.7 GPM) - 24 VDC	523,00
64811B	U030-12	Self-priming Electric Pump 75 l/min (19.8 GPM) - 12 VDC	738,00
64814H	U030-24	Self-priming Electric Pump 75 l/min (19.8 GPM) - 24 VDC	738,00
64815K	U040-24	Self-priming Electric Pump 250 l/min (66.0 GPM) - 230 VAC	969,00
66329L	U050-M	Self-priming Electric Pump 250 l/min (66.0 GPM) - 380 VAC	835,00
66330V	U050-T	Self-priming Electric Pump 250 l/min (66.0 GPM) - 230/380 VAC	835,00
66331X	U070-T	Self-priming Electric Pump 500 l/min (132.0 GPM) - 380 VAC	3.731,00

Part No.	Model	Description	Euro
Self-priming Electric Pumps for sanitation waste applications			
64821E	USBM-midex-24	Self-priming Electric Pump 64 l/min (16.9 GPM) - 24 VDC	1.163,00
Centrifugal Electric Pumps for liquid transfer applications - UCE Series			
64822G	UCE 03-12	Centrifugal Electric Pump 65 l/min (17.2 GPM) - 12 VDC	372,00
64823J	UCE 03-24	Centrifugal Electric Pump 70 l/min (18.5 GPM) - 24 VDC	372,00
Centrifugal Electric Pumps for liquid transfer applications - UB-CE Series			
67958A	UB-CE 16-12	Centrifugal Electric Pump 40 l/min (10.5 GPM) - 12 VDC	614,00
67959C	UB-CE 16-24	Centrifugal Electric Pump 40 l/min (10.5 GPM) - 24 VDC	614,00
67960L	UB-CE 16-M	Centrifugal Electric Pump 40 l/min (10.5 GPM) - 230 VAC	587,00
67961N	UB-CE 16-T	Centrifugal Electric Pump 40 l/min (10.5 GPM) - 380 VAC	587,00
67962R	UB-CE 20-12	Centrifugal Electric Pump 80 l/min (21.3 GPM) - 12 VDC	791,00
67963T	UB-CE 20-24	Centrifugal Electric Pump 80 l/min (21.3 GPM) - 24 VDC	791,00
67964V	UB-CE 20-M	Centrifugal Electric Pump 80 l/min (21.3 GPM) - 230 VAC	646,00
67965X	UB-CE 20-T	Centrifugal Electric Pump 80 l/min (21.3 GPM) - 380 VAC	646,00
67966Z	UB-CE 22-24	Centrifugal Electric Pump 120 l/min (31.7 GPM) - 24 VDC	824,00
67967B	UB-CE 22-M	Centrifugal Electric Pump 120 l/min (31.7 GPM) - 230 VAC	702,00
67968D	UB-CE 22-T	Centrifugal Electric Pump 120 l/min (31.7 GPM) - 380 VAC	686,00
Bronze self-priming Electric Pumps for fuel diesel transfer applications - UABR Series			
66068J	UABR 32/1	Self-priming Electric Pump 160 l/min (42.2 GPM) - 24 VDC	5.421,00
66069L	UABR 32/2	Self-priming Electric Pump 160 l/min (42.2 GPM) - 24 VDC	5.938,00
66070V	UABR 40/1	Self-priming Electric Pump 250 l/min (66 GPM) - 24 VDC	6.239,00
67948X	UABR 32/1-M	Self-priming Electric Pump 150 l/min (39.6 GPM) - 230 VAC	4.531,00
67949Z	UABR 32/1-T	Self-priming Electric Pump 150 l/min (39.6 GPM) - 380 VAC	4.495,00
66071X	UABR 32/2-M	Self-priming Electric Pump 150 l/min (39.6 GPM) - 230 VAC	5.071,00
66092F	UABR 32/2-T	Self-priming Electric Pump 150 l/min (39.6 GPM) - 380 VAC	5.060,00
67950H	UABR 40/1-M	Self-priming Electric Pump 220 l/min (58.1 GPM) - 230 VAC	5.367,00
67951K	UABR 40/1-T	Self-priming Electric Pump 220 l/min (58.1 GPM) - 380 VAC	5.356,00
66093H	UABR 40/2-T	Self-priming Electric Pump 220 l/min (58.1 GPM) - 380 VAC	6.225,00
66073B	UABR 50/2-T	Self-priming Electric Pump 400 l/min (105.6 GPM) - 380 VAC	8.015,00
66074D	UABR 65/2-T	Self-priming Electric Pump 600 l/min (158.5 GPM) - 380 VAC	12.058,00
Bronze Self-priming Electric Pumps for liquid transfer applications - USBR Series			
67954S	USBR-12	Self-priming Electric Pump 50 l/min (13.2 GPM) - 12 VDC	1.432,00
67955U	USBR-24	Self-priming Electric Pump 50 l/min (13.2 GPM) - 24 VDC	1.400,00
67956W	USBR-M	Self-priming Electric Pump 50 l/min (13.2 GPM) - 230 VAC	1.777,00
67957Y	USBR-T	Self-priming Electric Pump 50 l/min (13.2 GPM) - 380 VAC	1.540,00
ELECTRIC PUMPS AND PRESSURE BOOSTER SETS			
Stainless steel self-priming Electric Pumps and Pressure Booster Sets - UJ Series			
64824L	UJ-INOX-12	Self-priming Electric Pump 50 l/min (13.2 GPM) - 12 VDC	501,00
64825N	UJ-INOX-24	Self-priming Electric Pump 50 l/min (13.2 GPM) - 24 VDC	490,00
64827T	UJ-INOX-M	Self-priming Electric Pump 50 l/min (13.2 GPM) - 220 VAC	307,00
64831H	UJ-INOX-12/8X	Pressure Set, 8 l s.steel tank, 50 l/min (13.2 GPM) - 12 VDC	810,00
64833M	UJ-INOX-12/20X	Pressure Set, 20 l s.steel tank, 50 l/min (13.2 GPM) - 12 VDC	799,00
66075F	UJ-INOX-24/8X	Pressure Set, 8 l s.steel tank, 50 l/min (13.2 GPM) - 24 VDC	888,00
64834P	UJ-INOX-24/20X	Pressure Set, 20 l s.steel tank, 50 l/min (13.2 GPM) - 24 VDC	877,00
64836U	UJ-INOX-M/20X	Pressure Set, 20 l s.steel tank, 50 l/min (13.2 GPM) - 220 VAC	668,00
Stainless steel self-priming Electric Pumps and Pressure Booster Sets - UMG Series			
64826R	UMG-INOX-24	Self-priming Electric Pump 90 l/min (23.8 GPM) - 24 VDC	1.002,00
64828V	UMG-INOX-M	Self-priming Electric Pump 90 l/min (23.8 GPM) - 220 VAC	485,00
64835S	UMG-INOX-24/20X	Pressure Set, 20 l s.steel tank, 90 l/min (23.8 GPM) - 24 VDC	1.465,00

Part No.	Model	Description	Euro
64837W	UMG-INOX-M/20X	Pressure Set, 20 l s.steel tank, 90 l/min (23.8 GPM) - 220 VAC	799,00
Bronze self-priming Electric Pumps and Pressure Booster Sets - UJBR Series			
64816M	UJBR-12	Self-priming Electric Pump 44 l/min (11.6 GPM) - 12 VDC	1.254,00
64817P	UJBR-24	Self-priming Electric Pump 55 l/min (14.5 GPM) - 24 VDC	1.232,00
64818S	UJBR-M	Self-priming Electric Pump 55 l/min (14.5 GPM) - 220 VAC	1.152,00
64838Y	UJBR-12/8X	Pressure Set, 8 l s.steel tank, 44 l/min (11.6 GPM) - 12 VDC	1.508,00
64840J	UJBR-12/20X	Pressure Set, 20 l s.steel tank, 44 l/min (11.6 GPM) - 12 VDC	1.497,00
64839A	UJBR-24/8X	Pressure Set, 8 l s.steel tank, 55 l/min (14.5 GPM) - 24 VDC	1.615,00
64841L	UJBR-24/20X	Pressure Set, 20 l s.steel tank, 55 l/min (14.5 GPM) - 24 VDC	1.605,00
64842N	UJBR-M/20X	Pressure Set, 20 l s.steel tank, 55 l/min (14.5 GPM) - 220 VAC	1.400,00
Bronze self-priming Electric Pumps and Pressure Booster Sets - UPB Series			
64819U	UPB-12	Self-priming Electric Pump 35 l/min (9.2 GPM) - 12 VDC	530,00
64820C	UPB-24	Self-priming Electric Pump 35 l/min (9.2 GPM) - 24 VDC	530,00
64843R	UPB-12/2X	Pressure Set, 2 l s.steel tank, 35 l/min (9.2 GPM) - 12 VDC	791,00
64829X	UPB-12/8X-L	Pressure Set, 8 l painted steel tank, 35 l/min (9.2 GPM) - 12 VDC	791,00
64844T	UPB-24/2X	Pressure Set, 2 l s.steel tank, 36 l/min (9.5 GPM) - 24 VDC	733,00
64830F	UPB-24/8X-L	Pressure Set, 8 l painted steel tank, 36 l/min (9.5 GPM) - 24 VDC	733,00
Electric Pumps in Series			
66332Z	UGA1/J	Two UJ-INOX-24 electric pumps connected in series	2.313,00
66333B	UGA2/J	Two UJ-INOX-M electric pumps connected in series	1.708,00
66334D	UGA3/J	UJ-INOX-24 and UJ-INOX-M electric pumps connected in series	2.026,00
66335F	UGA1/MG	Two UMG-INOX-24 electric pumps connected in series	3.081,00
66336H	UGA2/MG	Two UMG-INOX-M electric pumps connected in series	2.089,00
66337K	UGA3/MG	UMG-INOX-24 and UMG-INOX-M pumps connected in series	2.559,00
66338M	UGA1/BR	Two UJBR-INOX-24 electric pumps connected in series	3.509,00
66339P	UGA2/BR	Two UJBR-INOX-M electric pumps connected in series	3.238,00
66340Y	UGA3/BR	UJBR-INOX-24 and UJBR-INOX-M pumps connected in series	3.290,00
Electronic Pressure Control Booster Sets			
66076H	UJ-INOX/EPC-12	Self-priming Electric Pump 50 l/min (13.2 GPM) - 12 VDC	783,00
66077K	UJ-INOX/EPC-24	Self-priming Electric Pump 50 l/min (13.2 GPM) - 24 VDC	773,00
66078M	UJ-INOX/EPC-M	Self-priming Electric Pump 50 l/min (13.2 GPM) - 230 VAC	570,00
66079P	UMG-INOX/EPC-24	Self-priming Electric Pump 40 l/min (23.8 GPM) - 24 VDC	1.291,00
66080Y	UMG-INOX/EPC-M	Self-priming Electric Pump 90 l/min (23.8 GPM) - 230 VAC	656,00
66081A	UJBR/EPC-12	Self-priming Electric Pump 44 l/min (11.6 GPM) - 12 VDC	1.515,00
66082C	UJBR/EPC-24	Self-priming Electric Pump 55 l/min (14.5 GPM) - 24 VDC	1.504,00
66083E	UJBR/EPC-M	Self-priming Electric Pump 55 l/min (14.5 GPM) - 230 VAC	1.306,00
66084G	UPB/EPC-12	Self-priming Electric Pump 35 l/min (9.2 GPM) - 12 VDC	807,00
66085J	UPB/EPC-24	Self-priming Electric Pump 35 l/min (9.2 GPM) - 24 VDC	807,00
BIDIRECTIONAL SELF-PRIMING BRONZE PUMPS			
Nautic Series			
64847Z	UN 025	Pump, bare shaft, 60 l/min (15.8 GPM) @2800rpm	265,00
64857C	UN 030-030 F	Pump manual clutch 75 l/min (19.8 GPM) @1400rpm	603,00
64858E	UN 040-040 F	Pump manual clutch 120 l/min (31.7 GPM) @1400rpm	641,00
64859G	UN 050-050 F	Pump manual clutch 230 l/min (60.8 GPM) @1400rpm	835,00
64860R	UN 070-070 F	Pump manual clutch 500 l/min (132.1 GPM) @1400rpm	2.283,00
Special Series			
64852S	US 020	Pump, bare shaft, 30 l/min (7.9 GPM) @2800rpm	250,00
64853U	US 025	Pump, bare shaft, 60 l/min (15.8 GPM) @2800rpm	278,00
64861T	US 030-030 FM 12	Pump w/magnetic clutch 75 l/min (19.8 GPM) @ 1400rpm, 12VDC	845,00
64864Z	US 030-030 FM 24	Pump w/magnetic clutch 75 l/min (19.8 GPM) @ 1400rpm, 24VDC	845,00

Prices are subject to change without notice

Part No.	Model	Description	Euro
64862V	US 040-040 FM 12	Pump w/magn. clutch 120 l/min (31.7 GPM) @ 1400rpm, 12VDC	913,00
64865B	US 040-040 FM 24	Pump w/magn. clutch 120 l/min (31.7 GPM) @ 1400rpm, 24VDC	913,00
64863X	US 050-050 FM 12	Pump w/magn. clutch 230 l/min (60.7 GPM) @ 1400rpm, 12VDC	1.265,00
64866D	US 050-050 FM 24	Pump w/magn. clutch 230 l/min (60.7 GPM) @ 1400rpm, 24VDC	1.265,00
CENTRIFUGAL BLOWERS UBLC SERIES			
65433A	UBLC 002-12	Centrifugal Blower, 4,5 m ³ /min, 12 VDC, right direction	334,00
65434C	UBLC 002-24	Centrifugal Blower, 4,5 m ³ /min, 24 VDC, right direction	334,00
65435E	UBLC 002-M	Centrifugal Blower, 4,5 m ³ /min, 230 VAC, right direction	285,00
65436G	UBLC 002-T	Centrifugal Blower, 4,5 m ³ /min, 380 VAC, right direction	267,00
65437J	UBLC 004-12	Centrifugal Blower, 12 m ³ /min, 12 VDC, right direction	444,00
64867F	UBLC 004-24	Centrifugal Blower, 12 m ³ /min, 24 VDC, right direction	444,00
65438L	UBLC 004-M	Centrifugal Blower, 15 m ³ /min, 230 VAC, right direction	401,00
65439N	UBLC 004-T	Centrifugal Blower, 15 m ³ /min, 380 VAC, right direction	373,00
67971S	UBLC 015-12	Centrifugal Blower, 24 m ³ /min, 12 VDC, right direction	840,00
64868H	UBLC 015-24	Centrifugal Blower, 24 m ³ /min, 24 VDC, right direction	840,00
65440X	UBLC 015-M	Centrifugal Blower, 24 m ³ /min, 230 VAC, right direction	657,00
65441Z	UBLC 015-T	Centrifugal Blower, 24 m ³ /min, 380 VAC, right direction	593,00
67973W	UBLC 028-12	Centrifugal Blower, 24 m ³ /min, 12 VDC, right direction	620,00
64869K	UBLC 028-24	Centrifugal Blower, 24 m ³ /min, 24 VDC, right direction	609,00
65442B	UBLC 028-M	Centrifugal Blower, 24 m ³ /min, 230 VAC, right direction	588,00
65443D	UBLC 028-T	Centrifugal Blower, 24 m ³ /min, 380 VAC, right direction	446,00
67972U	UBLC 023-12	Centrifugal Blower, 37 m ³ /min, 12 VDC, right direction	1.072,00
65444F	UBLC 023-24	Centrifugal Blower, 237 m ³ /min, 24 VDC, right direction	1.056,00
65445H	UBLC 023-M	Centrifugal Blower, 58 m ³ /min, 230 VAC, right direction	860,00
65446K	UBLC 023-T	Centrifugal Blower, 58 m ³ /min, 380 VAC, right direction	808,00
65447M	UBLC 025-24	Centrifugal Blower, 50 m ³ /min, 24 VDC, right direction	1.553,00
65448P	UBLC 025-M	Centrifugal Blower, 50 m ³ /min, 230 VAC, right direction	961,00
65449S	UBLC 025-T	Centrifugal Blower, 50 m ³ /min, 380 VAC, right direction	910,00
65450A	UBLC 030-M	Centrifugal Blower, 95 m ³ /min, 230 VAC, right direction	1.142,00
65451C	UBLC 030-T	Centrifugal Blower, 95 m ³ /min, 380 VAC, right direction	1.120,00
<i>Left configuration also available for all models</i>			
HELICOIDAL BLOWERS UVE SERIES			
67969F	UVE 21-12	Helicoidal Blower, 22 m ³ /min, 12 VDC - ventilator	431,00
67970P	UVE 21-24	Helicoidal Blower, 22 m ³ /min, 24 VDC - ventilator	431,00
65452E	UVE 25-12	Helicoidal Blower, 30 m ³ /min, 12 VDC - ventilator	625,00
64873A	UVE 25-24	Helicoidal Blower, 30 m ³ /min, 24 VDC - ventilator	625,00
65453G	UVE 25-M	Helicoidal Blower, 35 m ³ /min, 230 VAC - ventilator	517,00
65454J	UVE 25-T	Helicoidal Blower, 35 m ³ /min, 380 VAC - ventilator	440,00
65455L	UVE 30-12	Helicoidal Blower, 42 m ³ /min, 12 VDC - ventilator	668,00
65456N	UVE 30-24	Helicoidal Blower, 42 m ³ /min, 24 VDC - ventilator	668,00
65457R	UVE 30-M	Helicoidal Blower, 42 m ³ /min, 230 VAC - ventilator	598,00
65458T	UVE 30-T	Helicoidal Blower, 42 m ³ /min, 380 VAC - ventilator	528,00
65459V	UVE 30/2-24	Helicoidal Blower, 75 m ³ /min, 24 VDC - ventilator	819,00
65460D	UVE 30/2-M	Helicoidal Blower, 78 m ³ /min, 230 VAC - ventilator	638,00
65491R	UVE 30/2-T	Helicoidal Blower, 78 m ³ /min, 380 VAC - ventilator	550,00
65461F	UVE 35-12	Helicoidal Blower, 56 m ³ /min, 12 VDC - ventilator	754,00
64874C	UVE 35-24	Helicoidal Blower, 56 m ³ /min, 24 VDC - ventilator	754,00
65462H	UVE 35-M	Helicoidal Blower, 56 m ³ /min, 230 VAC - ventilator	616,00
65463K	UVE 35-T	Helicoidal Blower, 56 m ³ /min, 380 VAC - ventilator	539,00
65464M	UVE 35/2-24	Helicoidal Blower, 96 m ³ /min, 24 VDC - ventilator	862,00

Part No.	Model	Description	Euro
65465P	UVE 35/2-M	Helicoidal Blower, 100 m ³ /min, 230 VAC - ventilator	681,00
65466S	UVE 35/2-T	Helicoidal Blower, 100 m ³ /min, 380 VAC - ventilator	593,00
65467U	UVE 40-12	Helicoidal Blower, 70 m ³ /min, 12 VDC - ventilator	862,00
65468W	UVE 40-24	Helicoidal Blower, 70 m ³ /min, 24 VDC - ventilator	840,00
65469Y	UVE 40-M	Helicoidal Blower, 70 m ³ /min, 230 VAC - ventilator	692,00
65470G	UVE 40-T	Helicoidal Blower, 70 m ³ /min, 380 VAC - ventilator	625,00
65471J	UVE 40/2-24	Helicoidal Blower, 130 m ³ /min, 24 VDC - ventilator	969,00
65472L	UVE 40/2-M	Helicoidal Blower, 130 m ³ /min, 230 VAC - ventilator	769,00
65473N	UVE 40/2-T	Helicoidal Blower, 130 m ³ /min, 380 VAC - ventilator	692,00
65474R	UVE 45-24	Helicoidal Blower, 107 m ³ /min, 24 VDC - ventilator	916,00
65475T	UVE 45-M	Helicoidal Blower, 107 m ³ /min, 230 VAC - ventilator	715,00
65476V	UVE 45-T	Helicoidal Blower, 107 m ³ /min, 380 VAC - ventilator	646,00
65477X	UVE 45/2-24	Helicoidal Blower, 144 m ³ /min, 24 VDC - ventilator	1.012,00
65478Z	UVE 45/2-M	Helicoidal Blower, 175 m ³ /min, 230 VAC - ventilator	835,00
65479B	UVE 45/2-T	Helicoidal Blower, 175 m ³ /min, 380 VAC - ventilator	769,00
65480K	UVE 50-24	Helicoidal Blower, 160 m ³ /min, 24 VDC - ventilator	1.077,00
65481M	UVE 50-M	Helicoidal Blower, 160 m ³ /min, 230 VAC - ventilator	791,00
65482P	UVE 50-T	Helicoidal Blower, 160 m ³ /min, 380 VAC - ventilator	737,00
65483S	UVE 56-24	Helicoidal Blower, 225 m ³ /min, 24 VDC - ventilator	1.271,00
65484U	UVE 56-M	Helicoidal Blower, 225 m ³ /min, 230 VAC - ventilator	879,00
65485W	UVE 56-T	Helicoidal Blower, 225 m ³ /min, 380 VAC - ventilator	792,00
65486Y	UVE 63-M	Helicoidal Blower, 312 m ³ /min, 230 VAC - ventilator	980,00
65487A	UVE 63-T	Helicoidal Blower, 312 m ³ /min, 380 VAC - ventilator	879,00
65489E	UVE 71-T	Helicoidal Blower, 330 m ³ /min, 380 VAC - ventilator	989,00
65490N	UVE 71/B-T	Helicoidal Blower, 400 m ³ /min, 380 VAC - ventilator	1.206,00

All models are also available as extractors with reverse flux orientation

STAINLESS STEEL FIRE DAMPERS

Please contact our Technical Service for custom configuration

MARINCO® - ELECTRICAL MARINE PRODUCTS

16A/220V Shore Power Products

16A/220V 50 Hz Locking Power Inlets

66753A	303SSEL-BX	16A Stainless Steel Inlet with rear safety enclosure	96,00
66754C	301EL-BX	16A Square glass filled Inlet with rear safety enclosure	62,70
66755E	304EL-BX	16A Contour glass filled Inlet with rear safety enclosure	62,70
<i>Connectors for 16A/220V Shore Power Systems</i>			
66757J	305CRCXN	16A Female Connector	42,10
66758L	103RNX	Weatherproof Cover with threaded ring	17,70
66759N	199109	16A Watertight Connector sealing Cap	8,50

16A/220V Locking Shore Power Cordsets

66760X	50PCMX	16A Cordset with female connector - 15,24 meters (50 ft)	145,70
66762B	50SPPX	16A PowerCord Plus® Cordset w/female connector - 15,24 m (50 ft)	156,30
66763D	20MSPPXP	16A PwCord Plus® Cordset w/female conn. & male plug - 20 m	253,40
66764F	15MSPPXP	16A PwCord Plus® Cordset w/female conn. & male plug - 15 m	214,00
66765H	10MSPPXP	16A PwCord Plus® Cordset w/female conn. & male plug - 10 m	154,90

32A/220V Shore Power Products

32A/220V 50 Hz Locking Power Inlets

66766K	6371EL-BX	32A Stainless Steel Inlet with rear safety enclosure	161,70
66767M	6351EL-BX	32A Square glass filled Inlet with rear safety enclosure	80,30

Part No.	Model	Description	Euro
66768P	6343EL-BX	32A Contour glass filled Inlet with rear safety enclosure	104,20
66769S	6343EL-BXCR	32A Contour Inlet with rear safety enclosure, chrome plated cover	133,80
<i>Connectors for 32A/220V Shore Power Systems</i>			
66770A	6360CRNX	32A Female Connector	76,80
66771C	7715CRNX	Weatherproof Cover with threaded ring	27,10
<i>32A/220V Locking Shore Power Cordsets</i>			
66773G	15M32AXP	32A PwCord Plus® Cordset w/female conn. & male plug - 15 m	327,10
Accessories			
66825Z	CLIP	Cable clips w/stainless steel mounting screws; includes 6 cable clips	23,60
50A 125V/250V Shore Power Products; 3 Pole, 4-Wire			
<i>50A 125V/250V 4-Wire Locking Power Inlets</i>			
66774J	6373EL-B	50A Stainless steel Inlet with rear safety enclosure	211,80
66775L	6353EL-B	50A Square glass filled Inlet with rear safety enclosure	142,20
66776N	6373EL	50A Stainless steel Inlet without rear safety enclosure	277,30
<i>Connectors for 50A 125V/250V Shore Power Systems</i>			
66778T	6365CRN	50A Male Plug, 3 Pole, 4-Wire	128,10
66822T	7717N	Weatherproof Cover for male plug	31,00
66779V	6364CRN	50A Female Connector, 3 Pole, 4-Wire	143,60
66771C	7715CRNX	Weatherproof Cover with threaded ring for female connector	27,70
66781F	165AY	"Y" Adapter 2-50A	750,20
66782H	510R	Sealing collar w/itl threaded ring	18,00
67056G	110R	Sealing collar w/itl threaded ring	16,40
<i>50A 125V/250V 4-Wire Cordsets</i>			
66783K	6152SPP	50A PwCord Plus® Cordset w/female conn. & male plug - 50 ft	1.266,90
66784M	6152SPP-25	50A PwCord Plus® Cordset w/female conn. & male plug - 25 ft	902,30
63A/220V Shore Power Products			
<i>Products for 63A/220V, single phase, 3-wire systems</i>			
66785M	6401EL-BX	63A 50Hz Stainless Steel Inlet with rear safety enclosure	275,90
66786S	6401CRCX	63A 50Hz Female Connector	198,50
66787U	6401CRPX	63A 50Hz Male Plug	160,50
<i>Products for 63A/220V, three phase, 4-wire systems</i>			
66788W	6402EL-BX	63A 50Hz Stainless Steel Inlet with rear safety enclosure	278,70
66789Y	6402CRCX	63A 50Hz Female Connector	202,70
66790G	6402CRPX	63A 50Hz Male Plug	159,10
66771C	7715CRNX	Weatherproof Cover with threaded ring	27,10
30A/125V Shore Power Products			
<i>Connectors for 30A/125V Shore Power Systems</i>			
66817A	305CRPN	30A Male Plug	25,70
66818C	102N	Weatherproof Cover for male plug	17,40
66819E	305CRCN	30A Female Connector	46,50
66758L	103RNX	Weatherproof Cover for female connector	17,70
50A/125V Shore Power Products; 2 Pole, 3-Wire			
<i>Connectors for 50A/125V Shore Power Systems</i>			
66821R	6361CRN	50A Male Plug	122,90
66822T	7717N	Weatherproof Cover for male plug	31,00
66823V	6360CRN	50A Female Connector	122,50
66771C	7715CRNX	Weatherproof Cover with threaded ring for female connector	27,10
Phone/Cable TV Inlets			
66796V	PH6592TV-SS	Stainless steel Phone & Cable TV Inlet	204,10

Part No.	Model	Description	Euro
66797X	TV6592	Stainless steel Cable TV Inlet	174,60
66798Z	PH6574TV	Standard Phone & Cable TV Inlet	146,40
66799B	TV6574	Standard Cable TV Inlet	112,60
66800G	PH6444TV	Contoured Phone & Cable TV Inlet	166,10
66801J	TV6444	Contoured Cable TV Inlet	136,60
66848M	PH6629	Female Phone Connector	45,60
Phone/Cable TV Cordsets			
66802L	PH6599	Telephone Cordset 50 ft (15,24m)	271,70
66805T	TV99-25	TV Cable Cordset 25 ft	88,70
Fully Submersible Shore Power Cables			
67024T	SPC32	Shore Power Cord 3 x 2,5mm ² - 1 metre	5,90
67025V	SPC34	Shore Power Cord 3 x 4mm ² - 1 metre	9,50
67026X	SPC36	Shore Power Cord 3 x 6mm ² - 1 metre	13,40
67027Z	SPC310	Shore Power Cord 3 x 10mm ² - 1 metre	22,50
67028B	SPC316	Shore Power Cord 3 x 16mm ² - 1 metre	on request
67029D	SPC325	Shore Power Cord 3 x 25mm ² - 1 metre	on request
67030M	SPC425	Shore Power Cord 4 x 25mm ² - 1 metre	on request
67310U	SPC32/30	Shore Power Cord 3 x 2,5mm ² - 30 m spool	175,80
67031P	SPC32/50	Shore Power Cord 3 x 2,5mm ² - 50 m spool	293,00
67311W	SPC34/30	Shore Power Cord 3 x 4mm ² - 30 m spool	285,00
67032S	SPC34/50	Shore Power Cord 3 x 4mm ² - 50 m spool	474,90
67837M	SPC36/30	Shore Power Cord 3 x 6mm ² - 30 m spool	401,80
67033U	SPC36/50	Shore Power Cord 3 x 6mm ² - 50 m spool	669,60
67755K	SPC310/20	Shore Power Cord 3 x 10mm ² - 20 m spool	448,90
67863N	SPC316/50	Shore Power Cord 3 x 16mm ² - 50 m spool	on request
12 Volt Receptable and Plug			
66414B	12VRC	Sealink® Deluxe 12 Volt Plug	14,40
66862F	12VRCW	12 Volt Receptacle complete with mounting plate, white	23,90
67220T	12VBR	Watertight Receptacle and Plug 12V DC	31,00
67219J	12VBP	Watertight Plug 12V DC	24,40
66415D	12VPG	DC Plug with LED power indicator light	10,30
66810K	12VXT	Sealink® Deluxe 12 Volt Extension Cord	52,10
66811M	12VAD	Sealink® Deluxe 12 Volt Dual Outlet Cord	56,30
POLYESTER BRAIDED SLEEVINGS FOR CABLES			
68146N	GT01100	Braided Sleeving diameter 10mm (0.39") - 1m legth	3,00
68147R	GT01150	Braided Sleeving diameter 15mm (0.59") - 1m legth	3,90
68148T	GT01200	Braided Sleeving diameter 20mm (0.78") - 1m legth	4,10
68149V	GT01250	Braided Sleeving diameter 25mm (0.98") - 1m legth	4,20
68150D	GT01300	Braided Sleeving diameter 30mm (1.18") - 1m legth	5,10
68180N	GT01100	Braided Sleeving diameter 10mm (0.39") - Roll 100m legth	109,30
68181R	GT01150	Braided Sleeving diameter 15mm (0.59") - Roll 50m legth	99,20
68182T	GT01200	Braided Sleeving diameter 20mm (0.78") - Roll 50m legth	109,10
68183V	GT01250	Braided Sleeving diameter 25mm (0.98") - Roll 50m legth	114,10
68184X	GT01300	Braided Sleeving diameter 30mm (1.18") - Roll 50m legth	163,70
MARINCO® -700 W PURE SINE WAVE INVERTERS			
68908P	12/700-230 EU	Pure Sine Wave, HF/Switching Inverter 21-30 VDC	629,50
68909S	24/700-230 EU	Pure Sine Wave, HF/Switching Inverter 10,5-15 VDC	629,50
68910A	INVR-1	Remote Panel, optional	146,90

Part No.	Model	Description	Euro
MARINCO® - WIRELESS CONTROLLED SPOTLIGHTS			
<i>SPL Series - Wireless Controlled Spotlights</i>			
68115B	SPL-12W	Halogen Spotlight, wireless control included, white	517,80
68116D	SPL-12B	Halogen Spotlight, wireless control included, black	517,80
68117F	SPL-12C	Halogen Spotlight, wireless control included, chrome	568,00
68120U	SPRL-2	Wireless Control (spare part)	81,10
68121W	SPR-1	Hand Held Remote Control, optional	92,10
68118H	202319	Replacement Bulb, 12V, halogen H3	9,80
68119K	202320	Replacement Bulb, 24V, halogen H3	10,10
<i>12V Xenon Spotlight with Wireless Remote Control</i>			
66901N	505	12V Xenon Spotlight with Wireless Remote Control	1.280,90
<i>Stainless Steel Halogen Spot / Flood with Remote Joystick Control</i>			
66860B	22040A	Stainless Steel Halogen Spot / Flood with Joystick Control	667,60
<i>Halogen Spotlight with Remote Joystick Control</i>			
66859T	22200	Halogen Spotlight with Joystick Control	379,60
<i>Beamer Spotlight Parts & Accessories</i>			
<i>Control Panel</i>			
66989G	22240	Oval Control for 22040A	110,20
66990R	22209	Joystick Control for 22200	149,30
<i>Dual Station Control Kit</i>			
66997F	22218A	Dual Station Control Kit for 22040A	198,60
66998H	22219A	Dual Station Control Kit for 22200	294,70
<i>Replacement Bulb Kit</i>			
67001E	22014-P	Replacement Bulb Kit for 22040A	172,20
67002G	22230-P	Replacement Bulb Kit for 22200	86,10
<i>Extension Cable Kit</i>			
67004L	22011A-P	Extension Cable Kit 25 ft (7,62 m) for 22040A	239,20
67005N	22011MA-P	Extension Cable Kit 25 ft (7,62 m) for 22200	212,20
MARINCO® - MARINE HORNS			
<i>Electric, Compact Drop-in Below Deck Horns</i>			
66904V	11080	"H" Horn Phase II – Drop-in Hidden Horn	23,60
66905X	11187	Screw-in White ASA Grill for 11080	6,90
66906Z	11188	Screw-in Black ABS Grill for 11080	6,90
66907B	11096	Screw-in Stainless Steel Grill Kit for 11080	16,80
66908D	10079	Drop-in "H" Horn with Grills	29,90
66909F	11095	Drop-in Hidden Horn without Grill	24,00
66910P	11090	Snap-in White ASA Grill for 11095	9,60
66911S	11091	Snap-in Black ABS Grill for 11095	8,80
66912U	11225	Snap-in Chrome Plated ABS Grill for 11095	10,00
<i>MiniBlast™ - Electric Deck Compact Horns</i>			
66920T	10099	White MiniBlast	23,70
66921V	10098	Black MiniBlast	30,70
<i>Deck Horns - FullBlast™ Air Horns</i>			
66913W	10107	12 Volt Chrome Single Trumpet Mini Air Horn	312,50
66914Y	10104	12 Volt White Single Trumpet Mini Air Horn	304,10
66915A	10108	12 Volt Chrome Dual Trumpet Mini Air Horn	364,60
66916C	10121	12 Volt White Dual Trumpet Mini Air Horn	364,60

Part No.	Model	Description	Euro
Air Compressors			
66917E	10102	12 Volt Air Compressor	143,60
66918G	10224	24 Volt Air Compressor	143,60
MARINCO® - WIPER SYSTEMS			
Intelligent Switch For Heavy Duty Plus Wiper Systems			
66935G	76030	Single Motor Intelligent Switch	252,00
Heavy Duty Plus Wiper Motor			
66923Z	73112	Shaft lengths 2", angle of 110°, motor 12V	377,30
66924B	73113	Shaft lengths 3", angle of 110°, motor 12V	427,90
66925D	73313	Shaft lengths 3", angle of 110°, motor 24V	427,90
2.5 - Heavy Duty Waterproof Wiper Motor			
66937L	82081	Shaft lengths 1", angle of 80°, motor 12V	378,70
66938N	82082	Shaft lengths 2", angle of 80°, motor 12V	378,70
66939R	82011	Shaft lengths 1", angle of 110°, motor 12V	378,70
66940Z	82012	Shaft lengths 2", angle of 110°, motor 12V	378,70
66941B	82312	Shaft lengths 2", angle of 110°, motor 24V	384,30
1.5 - Heavy Duty Waterproof Wiper Motor			
66952G	71081	Shaft lengths 1", angle of 80°, motor 12V	330,80
66953J	71082	Shaft lengths 2", angle of 80°, motor 12V	330,80
66954L	71011	Shaft lengths 1", angle of 110°, motor 12V	330,80
66955W	71012	Shaft lengths 2", angle of 110°, motor 12V	330,80
Premier Plus™ - Stainless Steel Wiper Arms and Blades			
66927H	33096	Pantographic Arm, Adjusts 26" to 30"	199,90
Premier™ - Stainless Steel Wiper Arms and Blades			
66957T	33086	Single Arm, Adjusts 20" to 25"	130,90
66958V	33092	Pantographic Arm, Adjusts 17" to 22"	160,50
66959X	33094	Pantographic Arm, Adjusts 22" to 26"	178,80
66960F	33086W	Single Wet Arm, Adjusts 20" to 25"	140,80
66961H	33092W	Pantographic Wet Arm, Adjusts 17" to 22"	170,40
66963M	33021S	20" Stainless steel Blade	47,90
66964P	33021B	20" Stainless steel Black Blade	42,30
66965S	33024S	24" Stainless steel Blade	54,90
66966U	33024B	24" Stainless steel Black Blade	50,70
Deluxe™ - Stainless Steel Wiper Arms and Curved Wiper Blades			
66967W	33010A	Single Arm, Adjusts 14" to 20"	56,30
66968Y	33070A	Single Black Arm, Adjusts 18" to 24"	70,40
66969A	33037A	Pantographic Black Arm, Adjusts 17" to 22"	83,10
66971L	33024	26" Blade	47,90

Part No.	Model	Description	Euro
BEP MARINE® - PANELS AND MARINE INSTRUMENTS			
CIRCUIT BREAKER PANELS			
DC Circuit Breaker Panels			
63144G	NC36LD	24 way Circuit Breaker Panel 12V w/digital meter	2.682,00
63125C	900-DC	4 way Circuit Breaker Panel 12V no meter	204,00
64363A	900-AM	4 way Circuit Breaker Panel 12V w/analog Voltmeter	383,00
63126E	901V-AC	8 way vertical Circuit Breaker Panel 12V no meter	424,00
64364C	901V-DSCM	8 way vertical Circuit Breaker Panel 12V w/digital Meter	1.044,00
63127G	901H	8 way horizontal Circuit Breaker Panel 12V no meter	372,00
63129L	904NM	16 way Circuit Breaker Panel 12V no meter	730,00
63128J	902-AM	12 way Circuit Breaker Panel 12V w/analog Voltmeter	756,00
64365E	902-DCSM	12 way Circuit Breaker Panel 12V w/digital Volts/Amps	1.197,00
AC Circuit Breaker Panels			
64517B	900-ACM2W	3 way AC Panel 230V 2 Mains Circuit Breakers Control	451,00
68859D	900-ACCH	2 way AC Panel 230V 2 Mains Circuit Breakers Control	430,00
63130V	900-AC1	4 way AC Panel 230V 2 Mains Circuit Breakers Control	597,00
63131X	900-ACM6W	6 way AC Panel 230V with Double Pole Mains Circuit Breaker	611,00
63132Z	900-AC2AM	8 way AC Panel 230V 2 Mains Circuit Breaker, analog Voltmeter	1.016,00
Labels for Circuit Breaker Panels			
63254P	SET-1N	Label Sheet Accessories	14,00
63255S	SET-2N	Label Sheet Bait Tank Pump	14,00
63256U	SET-3N	Label Sheet Deck Light	14,00
63257W	SET-4N	Label Sheet Bilge Alarm	14,00
63258Y	SET-5N	Label Sheet AC Mains	14,00
63259A	SET-6N	Label Sheet Accessories	20,00
CIRCUIT BREAKERS			
Airpag® IEG Circuit Breakers			
63260J	CBS-2.5A-SP	2,5 Amp single Pole	30,00
63261L	CBS-5A-SP	5 Amp single Pole	30,00
63262N	CBS-10A-SP	10 Amp single Pole	30,00
63146L	CBS-15A-SP	15 Amp single Pole	30,00
63147N	CBS-20A-SP	20 Amp single Pole	30,00
63148R	CBS-25A-SP	25 Amp single Pole	30,00
63149T	CBS-30A-SP	30 Amp single Pole	30,00
63150B	CBS-40A-SP	40 Amp single Pole	30,00
63263R	CBS-50A-SP-IGF	50 Amp single Pole	30,00
64385L	CBS-2.5A-DP	2,5 Amp double Pole	70,00
63264T	CBS-5A-DP	5 Amp double Pole	70,00
63265V	CBS-10A-DP	10 Amp double Pole	70,00
63151D	CBS-15A-DP	15 Amp double Pole	70,00
63152F	CBS-20A-DP	20 Amp double Pole	70,00
63153H	CBS-25A-DP	25 Amp double Pole	70,00
63154K	CBS-30A-DP	30 Amp double Pole	70,00
63155M	CBS-40A-DP	40 Amp double Pole	70,00
63156P	CBS-50A-DP	50 Amp double Pole	70,00
63266X	CBS-30A-TP	30 Amp triple Pole	99,00
63267Z	CBS-50A-TP	50 Amp triple Pole	99,00
Busmann® Heavy Duty Switches			
<i>Manual reset:</i>			
65382K	184 050P-01-1	50A heavy duty, manual reset, panel mount	83,00

Part No.	Model	Description	Euro
65383M	184 060P-01-1	60A heavy duty, manual reset, panel mount	83,00
63160E	184 100F-01-1	100A heavy duty, manual reset, surface mount	83,00
63162J	184 100P-01-1	100A heavy duty, manual reset, panel mount	83,00
63161G	184 150F-01-1	150A heavy duty, manual reset, surface mount	83,00
63163L	184 150P-01-1	150A heavy duty, manual reset, panel mount	83,00
<i>Switchable & reset:</i>			
65384P	185 050F-01-1	50A heavy duty, switch reset, surface mount	83,00
63927S	185 050P-01-1	50A heavy duty, switch reset, panel mount	83,00
65385S	185 070P-01-1	70A heavy duty, switch reset, panel mount	83,00
65386U	185 080F-01-1	80A heavy duty, switch reset, surface mount	83,00
63928U	185 080P-01-1	80A heavy duty, switch reset, panel mount	83,00
63164N	185 100F-01-1	100A heavy duty, switch reset, surface mount	83,00
63166T	185 100P-01-1	100A heavy duty, switch reset, panel mount	83,00
64386N	185 135P-01-1	135A heavy duty, switch reset, panel mount	83,00
63165R	185 150F-01-1	150A heavy duty, switch reset, surface mount	83,00
63167V	185 150P-01-1	150A heavy duty, switch reset, panel mount	83,00
SPRAY PROOF SWITCH PANELS			
Micro Modular Switch Panels			
63133B	900-2WP	Micro 2 way Switch Panel 2 x ON/OFF switch	57,00
63134D	900-2WPMOM	Micro 2 way Switch Panel 1 x ON/OFF 1 x DTMOM switch	77,00
63135F	900-2WPOFO	Micro 2 way Switch Panel 1 x ON/OFF 1 x DPDT switch	79,00
63136H	LBL-MIC1	Label Pack Micro Set 1 - power boat	9,00
63137K	LBL-MIC2	Label Pack Micro Set 2 - dash	9,00
63138M	LBL-MICSYM	Label Pack Micro Symbols to ISO	9,00
900 Series			
64401F	900-3WPS	3 way Panel, in-line fuses, waterproof power socket, charcoal	60,00
64405P	900-3WPSW	3 way Panel, in-line fuses, waterproof power socket, white	60,00
63139P	900-4WP	4 way Panel, in-line fuses, charcoal	67,00
64402H	900-5WPS	5 way Panel, in-line fuses, waterproof power socket, charcoal	76,00
63140Y	900-6WP	6 way Panel, in-line fuses, charcoal	60,00
66520A	603905	5 Amp ATM Fuse	4,00
66521C	603910	10 Amp ATM Fuse	4,00
66522E	603915	15 Amp ATM Fuse	4,00
66523G	603920	20 Amp ATM Fuse	4,00
66524J	603930	30 Amp ATM Fuse	4,00
66537U	LBL-WP	Label Waterproof 900 Panel Set	3,00
CSP6 Series			
64375H	CSP6	6 way Contour Splash Proof Panel	95,00
64376K	CSP6-F	6 way Contour Splash Proof Panel w/fuse holders	108,00
63141A	CSP6-PTC	6 way Contour Splash Proof Panel PTC fusing	124,00
63253M	SET-1SP	Label Sheet CSP6 Series Switch Panel	7,00
Spare Parts for Spray Proof Panels			
63537C	WAFH-14	Fuse Holder	7,00
64404M	SW-M331	Splash proof Cover	3,00
G2 Series			
64366G	CG2-2W	2 way spray proof Panel - black	65,00
64591P	CG2-2W-W	2 way spray proof Panel - white	65,00
64367J	CG2-2WF	2 way spray proof Panel with 1 fuse	68,00
64368L	CG2-4W	4 way spray proof Panel - black	79,00
64542A	CG2-4W-W	4 way spray proof Panel - white	79,00

Part No.	Model	Description	Euro
64369N	CG2-4WF	4 way spray proof Panel with 2 fuses	86,00
64370X	CG2-6W	6 way spray proof Panel - black	96,00
64543C	CG2-6W-W	6 way spray proof Panel - white	96,00
64371Z	CG2-6WF	6 way spray proof Panel with 3 fuses	110,00
64403K	CG2-JB	Joiner for multiple panel installations	17,00
64372B	SW-CG1	Spare switch for G2 Panels - On/Off	4,00
64750H	SW-CG2	Spare switch for G2 Panels - Momentary On/Off	4,00
64751K	SW-CG3	Spare switch for G2 Panels - On/Off/on	4,00
64752M	SW-CG4	Spare switch for G2 Panels - Momentary On/Off/Momentary On	4,00
64373D	SET-G2-1	Standard Label Set for G2 Series Panels	8,00
64374F	SET-G2-2	Optional Label Set for G2 Series Panels	8,00
1000 Series Interior Switch Panels			
64379S	1000-6W-12V	6 way switch & fuse panel 12V DC	93,00
64380A	1000-VM-12V	Voltmeter Panel 8-16V	65,00
64381C	1000-AM-50A	Ammeter Panel 0-50 Amp	123,00
64382E	1000-DFR	Frame suitable to take any 600-series digital meter	17,00
65380F	SW-RVS2	ON-OFF Led Switch	8,00
64383G	SET-1000	Standard Label Set for 1000 Series Panels	4,00
64384J	SET-1002	Optional Label Set for 1000 Series Panels	4,00
BATTERY SWITCHES			
63142C	701	Contour Battery Master Switch 275A continuous	31,00
65494X	701-PM	Panel Mount Contour Battery Master Switch 275A continuous	32,50
63174S	720	Heavy Duty Battery Switch 600A continuous	94,00
67806A	720-DP	Double Pole Battery Switch 400A continuous	130,00
63672J	700	Easyfit Battery Switch 275A continuous	40,00
64387R	701-S	Mini Battery Selector Switch 200A continuous	48,00
66163C	701S-PM	Panel Mount Mini Battery Selector Switch 200A continuous	45,00
63143E	721	Battery Switch B1 B2 Selector 350A continuous	97,00
66026S	701-MD	Motor driven remote operated Battery Switch 275A continuous	195,00
66027U	720-MDO	Motor driven remote operated Battery Switch 500A continuous	240,00
Remote Controls for Battery Switches			
66951E	80-911-0045-00	Wireless remote control and receiver	436,00
65350W	722-KS	Remote Key Switch for 701-MD and 720-MDO Battery Switch	118,00
63215D	722-KS2	Remote Key Switch for 701-MD and 720-MDO Battery Switch	106,00
67866V	701-KEY-EP	Replacing Knob for 701 Switch	8,50
63930E	701-KEY	Replacing Knob for 701 Switch	7,90
64389V	SET-715	Label Set for Battery Switches	10,00
VOLTAGE SENSITIVE RELAYS (VSR)			
66416F	701-MDVS	High current Remote Operated VSR - 12V DC	220,00
66417H	720-MDVS	High current Remote Operated VSR - 12V DC	302,00
66418K	701-MDVS-24V	High current Remote Operated VSR - 24V DC	220,00
66419M	720-MDVS-24V	High current Remote Operated VSR - 24V DC	312,00
68152H	80-701-0018-00	275 Amp VSR - Emergency Parallel only	206,00
68346X	720-MDO-EP	500 Amp VSR - Emergency Parallel only	282,00
68101P	710-140A	Voltage sensitive Relays Dual Sensor 140 Amp 24V	103,00
BATTERY DISTRIBUTION CLUSTERS			
68856X	715-V	Dual Battery charging clusters	126,00

Part No.	Model	Description	Euro
68102S	716-SQ-140A-DVS	Dual Battery charging clusters	265,00
65352A	715-S	Dual Battery charging clusters	139,00
68103U	717-140A-DVSR	Dual Battery charging clusters	395,00
68857Z	80-700-0050-00	Remote Battery Management System	402,00
67405F	80-700-0051-00	Remote Battery Management System	403,00
68858B	80-700-0052-00	Remote Battery Management System	400,00
BATTERY DISTRIBUTION COMPONENTS			
Galvanic Isolators			
67078T	4531001	Galvanic Isolator 30A	456,00
67079V	4531011	Galvanic Isolator 50/60A	574,00
PRO Installer Series			
<i>Heavy Duty Busbars</i>			
68860M	777-BB8S-650	650A Busbar - 8 Connecting studs	182,00
68861P	777-BB5S-650	650A Busbar - 5 Connecting studs	125,00
68862S	777-BB3S-650	650A Busbar - 3 Connecting studs	93,00
68863U	777-BB4S-500	500A Busbar - 4 Connecting studs	85,00
<i>Z-bars</i>			
68864W	777-BBZ18W-200	200A Busbar - 18 Terminals and 4 Connecting studs	53,00
68865Y	777-BBZ10W-200	200A Busbar - 15 Terminals and 4 Connecting studs	34,00
<i>Insulated Studs</i>			
68866A	IST-8MM-1S	Single Insulated Connecting Stud, 4 Terminals	15,00
68867C	IST-8MM-1SPT	Single Insulated Connecting Stud, 4 Terminals	26,00
68868E	IST-8MM-2S	Dual Insulated Connecting Stud, 4 terminals	24,00
<i>ANL Fuseholders</i>			
68869G	778ANL	300A ANL Fuseholder	30,00
68870R	778ANLTP	750A ANL Fuseholder	72,00
68871T	778ANL2S	750A ANL Fuseholder + 2 additional connecting studs	60,00
<i>Class T Fuseholders</i>			
68872V	778T2S-400	225-400A Fuseholder	60,00
68873X	778T2S-600	400-600A Fuseholder	71,00
Distribution Studs			
63687Y	702	Distribution Bus 200A	33,00
68058S	703-300A	Distribution Bus 300A	79,00
63688A	703-500A	Distribution Bus 500A	93,00
64393K	702SB	Secondary Bus	19,00
Bus Bars			
63690L	BB-6W-2S	Bus Bar 6 way	14,00
63691N	BB-12W-2S	Bus Bar 12 way 1 Stud	16,00
63692R	BB-24W-2S	Bus Bar 24 way 2 input Stud	26,00
Insulated Studs			
64392H	IS-10MM -1	Tinned brass insulated Studs 10 mm x 1	10,00
63689C	IS-6MM -2	Tinned brass insulated Studs 6 mm x 2	6,00
Fuse Holders			
67406H	702-MFH	Maxi Fuse Holder	25,00
High Amperage Fuses			
63235K	704-ANL	ANL Fuse Holder heavy duty	60,00
66132R	BFHD-30A	30A Blade Fuse, heavy duty	6,00
66133T	BFHD-40A	40A Blade Fuse, heavy duty	6,00
66134V	BFHD-50A	50A Blade Fuse, heavy duty	6,00

Part No.	Model	Description	Euro
66135X	BFHD-60A	60A Blade Fuse, heavy duty	6,00
66136Z	BFHD-70A	70A Blade Fuse, heavy duty	6,00
66137B	BFHD-80A	80A Blade Fuse, heavy duty	6,00
64395P	IP100A	100A Fuse, ignition protected	20,00
63806D	IP150A	150A Fuse, ignition protected	20,00
63807F	IP200A	200A Fuse, ignition protected	20,00
63808H	IP250A	250A Fuse, ignition protected	20,00
63809K	IP300A	300A Fuse, ignition protected	20,00
63810U	IP425A	425A Fuse, ignition protected	21,00
64407U	IP500A	500A Fuse, ignition protected	21,00
ATC Fuse Holder and Fuses			
65569C	ATC-6W	6 way ATC Fuse Holder, screw terminals, with cover	33,00
66017R	ATC-6WQC	6 way ATC Fuse Holder, quick connect, with cover	33,00
66018T	J03A	3 Amp ATC Fuse	1,00
66019V	J05A	5 Amp ATC Fuse	1,00
66020D	J7.5A	7,5 Amp ATC Fuse	2,00
66021F	J10A	10 Amp ATC Fuse	1,00
66022H	J15A	15 Amp ATC Fuse	1,00
66023K	J20A	20 Amp ATC Fuse	1,00
66024M	J25A	25 Amp ATC Fuse	1,00
66025P	J30A	30 Amp ATC Fuse	1,00
65570L	BB-LINK	Fuse Holder Link	2,00
MONITORING SYSTEMS			
DC System Monitor (DCSM)			
67407K	80-600-0021-00	DC System Monitor (DCSM)	677,00
68902B	600-DCM-5M	Installation Cable Kit - 5,00 m (16.4')	43,00
68903D	600-DCM-10M	Installation Cable Kit - 5,00 m (32.8')	76,00
64396S	LB-450-50-SHUN	Shunt 450 Amp, supplied with DCSM and 600-DCM	120,00
AC System Monitor (ACSM)			
67408M	80-600-0023-00	AC System Monitor (ACSM)	786,00
67314C	AC-VSEN-4	Voltage Transformer supplied with ACSM	122,00
64398W	CT-10-3	Current Transformer supplied with ACSM an 600-ACM	28,00
68904F	CT-HD	Heavy Duty Current Transformer	45,00
600 Series Contour Matrix Monitoring Systems			
63168X	600-DCM	Digital Multifunction DC System Monitor	390,00
64396S	LB-450-50-SHUNT	Ammeter shunt 450 Amp - supplied with 600-DCM and DCSM	120,00
63172M	600-TLM-SIF	Tank Sender Interface Module to produce a 0-5 Volt signal	56,00
63169Z	600-ACM	Digital Multifunction AC System Monitor	444,00
64397U	AC-VSEN	Voltage Transformer supplied with 600-ACM	118,00
67314C	AC-VSEN-4	Voltage Transformer supplied with ACSM	122,00
64398W	CT-10-3	Current Transformer supplied with ACSM and 600-ACM	28,00
Stand-Alone Meters			
63682M	N816DCV	Voltmeter 8-16V Contour Series	70,00
63683P	N1632DCV	Voltmeter 16-32V Contour Series	67,00
64399A	N050A	Ammeter DC 0-50A 50MV contour Series	54,00
64400D	N0100A	Ammeter DC 0-100A 50MV contour Series	60,00
64183Y	N0150A	Ammeter DC 0-150A 50MV contour Series	60,00
64515X	50A-50MV	Ammeter Shunt 50A 50MV Scale	70,00
64178F	100A-50MV	Ammeter Shunt 100A 50MV Scale	61,00

Part No.	Model	Description	Euro
64516Z	150A-50MV	Ammeter Shunt 150A 50MV Scale	61,00
ULTRASONIC TANK SENDER			
<i>Fuel, fresh water or holding tanks</i>			
66322W	TS1	TS1 Ultrasonic Tank Sender	154,00
66323Y	TS1-PK	TS1 Programming Kit	158,00
WHISPER POWER® - MARINE GENERATORS			
WPC - WHISPER POWER CENTRE			
<i>Integrated Sine Wave Inverter / Battery Charger</i>			
68248X	WPC-2000-12	Inverter / battery charger 12VDC 2000VA	3.521,00
68249Z	WPC-3500-24	Inverter / battery charger 24VDC 3000VA	3.859,00
68548K	WPC-5000-24	Inverter / battery charger 24VDC 5000VA	4.644,00
68549M	WPC-7000-24	Inverter / battery charger 24VDC 7000VA	7.717,00
68550W	WPC-10000-24	Inverter / battery charger 24VDC 10000VA	11.575,00
68250H	WPC-4000-48	Inverter / battery charger 48VDC 3500VA	4.179,00
68551Y	WPC-8000-48	Inverter / battery charger 48VDC 8000VA	8.358,00
68253P	WPC-PSCP	Power system control panel	1.174,00
<i>Accessories</i>			
68254S	WPC-RCC	Remote Combi Control	642,00
68255U	WPC-BSI	500 Battery Status Interface	531,00
68256W	WPC-RS232	Serial Interface	402,00
68257Y	WPC-BTS	Battery Temperature Sensor	159,00
DIESEL MARINE GENERATORS			
<i>GENVERTER Series - Variable Speed Diesel Marine Generators</i>			
68108E	M-GV4	3,8 kW Generator 230V / 50Hz	6.079,00
68906K	M-GV8	7 kW Generator 230V / 50Hz	10.075,00
67502D	DDC	DDC Digital Diesel Control Panel	389,00
67708A	M-GV 7i /12V	Generator+Inverter+Battery charger 230V/3,8 kW+2,0 kW 12 VDC	10.061,00
67709C	M-GV 7i /24V	Generator+Inverter+Battery charger 230V/3,8 kW+3,5 kW 24 VDC	10.762,00
68253P	WPC-PSCP	Power system control panel	1.174,00
<i>SC Super Compact Diesel Marine Generators 3000 rpm 230V 50Hz with polyester soundproof casing</i>			
67340D	M-SC 3.5	Whisper Generator - 3 kW 3000 rpm	7.433,00
67524P	M-SC-P 6	Whisper Generator - 5 kW 3000 rpm - polyester casing	9.192,00
67525S	M-SC-P 8	Whisper Generator - 6,4 kW 3000 rpm - polyester casing	9.940,00
67526U	M-SC-P 10	Whisper Generator - 9,4 kW 3000 rpm - polyester casing	11.710,00
<i>SC Super Compact Diesel Marine Generators 3000 rpm 230V 50Hz with metal sound shield</i>			
67341F	M-SC 6	Whisper Generator - 5 kW 3000 rpm	9.833,00
67409P	M-SC 8	Whisper Generator - 6,4 kW 3000 rpm	10.903,00
67410Y	M-SC 10	Whisper Generator - 9,4 kW 3000 rpm	12.726,00
<i>SQ Super Quiet Series Diesel Marine Generators 1500 rpm 230V 50Hz with metal sound shield</i>			
67411A	M-SQ 6	Whisper Generator - 5,7 kW 1500 rpm	11.710,00
67412C	M-SQ 8	Whisper Generator - 8 kW 1500 rpm	13.148,00
67413E	M-SQ 10	Whisper Generator - 9,4 kW 1500 rpm	14.111,00
67342H	M-SQ 12	Whisper Generator - 12 kW 1500 rpm	16.934,00
67414G	M-SQ 16	Whisper Generator - 16 kW 1500 rpm	18.174,00

Part No.	Model	Description	Euro
67415J	M-SQ 20	Whisper Generator - 20 kW 1500 rpm	22.452,00
67416L	M-SQ 25	Whisper Generator - 25 kW 1500 rpm	23.200,00
<i>All generators are supplied with anti-vibration, soundproof casing, digital remote control panel and 7m cable</i>			
Available versions with: (quotation on request)			
- Insulated Electrical Equipment			
- Power Take Off (PTO) - SQ Series only (SQ6 excepted)			
- Three phase output - M-SQ16-20-25 only			
Remote Control Panels			
67502D	DDC	DDC Digital Diesel Control Panel	389,00
67503F	PC link	PC link RS485/USB ISO	294,00
67504H	P-Touch	Full Color Touch Screen 7"	1.951,00
INSTALLATION KITS FOR DIESEL GENERATORS			
Water Inlet Kits			
67417N	Water Inlet Kit 12,5 mm (1/2") for M-SC 3,5 - wet exhaust		181,00
67418R	Water Inlet Kit 20 mm (3/4")		198,00
67419T	Water Inlet Kit 25 mm (1")		325,00
Syphon Breaker Kits			
67420B	Syphon Breaker Kit 12,5 mm (1/2") for M-SC 3,5 - wet exhaust		187,00
67421D	Syphon Breaker Kit 20 mm (3/4")		184,00
67422F	Syphon Breaker Kit 25 mm (1")		267,00
DELTA Exhaust Kits			
67423H	DELTA Exhaust Kit 40 mm (1 5/8")		487,00
67424K	DELTA Exhaust Kit 51 mm (2")		581,00
67425M	DELTA Exhaust Kit 63 mm (2 1/2")		1.313,00
DELTA Water/Gas Separator Kits			
67426P	DELTA Water/Gas Separator Kit 40 mm (1 5/8")		680,00
67427S	DELTA Water/Gas Separator Kit 51 mm (2")		777,00
67428U	DELTA Water/Gas Separator Kit 63 mm (2 1/2")		1.405,00
Anti-Vibration Kits			
67429W	Base Plate Kit M-SC 3,5		632,00
67430E	Base Plate Kit M-SC-6 P and M-SC-8 P		824,00
67431G	Anti-vibration Mounts, up to 280 kg		233,00
Fuel Kit			
67432J	Fuel Kit for the M-SC and M-SQ generator Systems		157,00
SERVICE KIS FOR DIESEL GENERATORS			
68350M	KIT A per GV-4 e GV 7i		74,00
68351P	KIT B per GV-4 e GV 7i		502,00
67794W	KIT A for SC-3.5		55,00
67344M	KIT A for SC6/SC10/SQ6		121,00
67345P	KIT A for SQ8-SQ12		94,00
67505K	KIT A for SQ16		171,00
67506M	KIT A for SQ20-SQ25		251,00
67507P	KIT B for SC6		1.131,00
67508S	KIT B for SC10		1.427,00
67509U	KIT B for SQ6		1.427,00
67510C	KIT B for SQ8-SQ10		1.410,00
67511E	KIT B for SQ12		1.576,00
67512G	KIT B for SQ16		1.750,00
67513J	KIT B for SQ20-SQ25		2.656,00

Part No.	Model	Description	Euro
BELT POWER GENERATOR/ALTERNATORS			
DC Belt Power Systems			
68566M	WP-DC 12-90	DC Belt Power Generator 12V, 90A	845,00
68567P	WP-DC 12-130	DC Belt Power Generator 12V, 130A	1.121,00
68568S	WP-DC 12-160	DC Belt Power Generator 12V, 160A	1.211,00
68569U	WP-DC 24-75	DC Belt Power Generator 24V, 75A	1.008,00
68570C	WP-DC 24-110	DC Belt Power Generator 24V, 110A	1.379,00
68571E	WP-DC 24-150	DC Belt Power Generator 24V, 150A	1.683,00
ACR - Alternator Charge Regulator			
68727K	WP-ACR 12	Alternator Charge Regulator 12V	335,00
68728M	WP-ACR 24	Alternator Charge Regulator 24V	335,00
AC Belt Power Systems			
67923E	W-BD 3,5	Belt Power Generator 3500 W, 16A	2.699,00
67924G	W-BD 5	Belt Power Generator 5000 W, 27A	2.922,00
Accessories			
68744K	Remote Control panel		210,00
68476P	5,00 m (16.4') Shielded Power Supply Cable		167,00
68745M	5,00 m (16.4') Remote Control Panel Cable		27,00
68880U	Pulley poly 6 groove (Ø 60mm - 2.36" recommended)		57,00
68573J	Pulley poly 6 groove (Ø 50mm - 1.97")		44,00
PROFESSIONAL BATTERY CHARGERS AND INVERTERS			
DC PowerCube with second Input			
68552A	DC PC 12/200	Heavy Duty DC PowerCube 12V 200A	2.359,00
68553C	DC PC 24/150	Heavy Duty DC PowerCube 24V 150A	2.359,00
68554E	DC PC 48/75	Heavy Duty DC PowerCube 48V 75A	2.359,00
WBC PRO Series single Input			
68555G	WBC PRO 12/10	Heavy Duty WBC PRO 12V 10A	220,00
68556J	WBC PRO 24/15	Heavy Duty WBC PRO 24V 15A	333,00
68557L	WBC PRO 24/25	Heavy Duty WBC PRO 24V 25A	558,00
68558N	WBC PRO 24/50	Heavy Duty WBC PRO 24V 50A	895,00
68559R	WBC PRO 24/75	Heavy Duty WBC PRO 24V 75A	1.458,00
68560Z	WBC PRO 24/100	Heavy Duty WBC PRO 24V 100A	1.908,00
68561B	WBC PRO 24/100	Heavy Duty WBC PRO 24V 100A- 3 ph	2.347,00
AC PowerCube Series			
68562D	AC PC 24/8000	Pure Sine Wave inverter 24/8000 - 8 kVA	on request
68563F	AC PC 48/8000	Pure Sine Wave inverter 48/8000 - 8 kVA	on request
68566H	AC PC 24/16000	Pure Sine Wave inverter 24/16000 - 16 kVA	on request
68565K	AC PC 48/16000	Pure Sine Wave inverter 48/16000 - 16 kVA	on request
BATTERY CHARGERS, INVERTER / BATTERY CHARGERS AND ACCESSORIES			
Portable Battery Charges - WBC-Handy Series			
68259C	WBC-Handy 20	Portable Battery Charges - Charging Current max 2A	93,00
68260L	WBC-Handy 70	Portable Battery Charges - Charging Current max 7A	174,00
68261N	WBC-Handy 150	Portable Battery Charges - Charging Current max 15A	268,00
WBC Series - 3-Stage Battery Chargers			
68524V	WBC 12/20	Battery Charger - Charging Current max 20A	397,00
68525X	WBC 12/40	Battery Charger - Charging Current max 40A	531,00
68526Z	WBC 12/60	Battery Charger - Charging Current max 60A	599,00
68527B	WBC 24/30	Battery Charger - Charging Current max 30A - 24V	706,00

Part No.	Model	Description	Euro
WP Series - High frequency Pure Sine Wave Inverters			
68528D	WP-Sine 12/500	Pure Sine Wave Inverter 12V 500W	397,00
68529F	WP-Sine 12/1000	Pure Sine Wave Inverter 12V 1000W	471,00
68530P	WP-Sine 12/2000	Pure Sine Wave Inverter 12V 2000W	639,00
68531S	WP-Sine 24/500	Pure Sine Wave Inverter 24V 500W	397,00
68532U	WP-Sine 24/1000	Pure Sine Wave Inverter 24V 1000W	471,00
68533W	WP-Sine 24/2000	Pure Sine Wave Inverter 24V 2000W	639,00
Sine wave inverter/battery charger 230 VAC WP-Combi Series			
68264V	12/2000-80A	Sine wave inverter/battery charger – 12 VDC 3000VA	2.010,00
68265X	24/3000-60A	Sine wave inverter/battery charger – 24 VDC 4500VA	2.521,00
68266Z	48/3000-30A	Sine wave inverter/battery charger – 148 VDC 4500VA	2.951,00
68267B	RP WP combi	Remote Panel	182,00
WBI Series - Low Voltage Drop Battery Isolators			
68268D	WBI 150-2 IG	Two output	201,00
68269F	WBI 150-3 IG	Three output	250,00
Battery Isolator Voltage Guard			
68270P	WVG-200	Voltage Guard	174,00
Microprocessor Controlled Battery Link			
68271S	WBL-120	Battery link	111,00
DC-DC CONVERTERS			
MC Series - Common Ground not isolated Converters			
68535A	MC 24/12-08	MC Converter 12/12-08	97,00
68536C	MC 24/12-12	MC Converter 24/12-12	101,00
68537E	MC 24/12-20	MC Converter 24/12-20	128,00
68538G	MC 24/12-30	MC Converter 24/12-30	144,00
68539J	MC 12/24-10	MC Converter 12/24-10	120,00
MG Series - Isolated Converters			
68540T	MG 24/12-16-i	MG Converter 24/12-16-i	169,00
68541V	MG 24/12-30-i	MG Converter 24/12-30-i	288,00
68542X	MG 48/12-30-i	MG Converter 48/12-30-i	288,00
68543Z	MG 48/12-08-i	MG Converter 48/12-08-i	159,00
68544B	MG 24/24-15-i	MG Converter 24/24-15-i	322,00
WBM- HIGH PRECISION BATTERY MONITORS			
68272U	WBM- Basic	Battery Monitor	232,00
68273W	WBM- Pro	Battery Monitor	307,00
68274Y	WBM-Pro HV	Battery Monitor	423,00
68275A	40290300	6 m Connection accessory kit	52,00
68276C	40290301	12 m Connection accessory kit	68,00
68277E	40290303	3 m Quick Connection kit	42,00
68278G	40290304	10 m temperature sensor kit	42,00
68279J	40290321	1200A/50mV shunt	34,00
BATTERIES			
AGM- 12 Volt			
68280T	55 Ah	12V/55Ah AGM Deep Cycle Battery	150,00
68281V	80 Ah	12V/80Ah AGM Deep Cycle Battery	197,00
68282X	100 Ah	12V/100Ah AGM Deep Cycle Battery	227,00
68283Z	145 Ah	12V/145Ah AGM Deep Cycle Battery	335,00
68284B	200 Ah	12V/200Ah AGM Deep Cycle Battery	445,00

Part No.	Model	Description	Euro
68285D	260 Ah	12V/260Ah AGM Deep Cycle Battery	562,00
AGM- 6 Volt			
68654J	260 Ah	6V/260Ah AGM Battery	259,00
68655L	312 Ah	6V/312Ah AGM Battery	352,00
68656N	335 Ah	6V/335Ah AGM Battery	378,00
68427X	390 Ah	6V/390Ah AGM Battery	399,00
GEL-12 Volt			
68286F	100 Ah	12V/100Ah GEL Deep Cycle Battery	274,00
68287H	145 Ah	12V/145Ah GEL Deep Cycle Battery	392,00
68288K	180 Ah	12V/180Ah GEL Deep Cycle Battery	488,00
68289M	225 Ah	12V/225Ah GEL Deep Cycle Battery	618,00
Cells 2V OPzV			
68290W	600 Ah	Cell 2V/600Ah GEL	546,00
68291Y	800 Ah	Cell 2V/800Ah GEL	718,00
68292A	1000 Ah	Cell 2V/1000Ah GEL	801,00
68293C	1200 Ah	Cell 2V/1200Ah GEL	960,00
68294E	1500 Ah	Cell 2V/1500Ah GEL	1.092,00
LI-ION (Lithium Batteries)			
68658T	160Ah-12V	LI-ION 160 Ah - 12V	on request
68659V	200Ah-12V	LI-ION 200 Ah - 12V	on request
68660D	400Ah-12V	LI-ION 400 Ah - 12V	on request
68661F	160Ah-24V	LI-ION 160 Ah - 24V	on request
68662H	200Ah-24V	LI-ION 200 Ah - 24V	on request
68663K	400Ah-24V	LI-ION 400 Ah - 24V	on request
68664M	700Ah-24V	LI-ION 700 Ah - 24V	on request
68666S	1000Ah-24V	LI-ION 1000 Ah - 24V	on request
68667U	1000Ah-24V	LI-ION 1000 Ah - 24V	on request
68668W	200Ah-48V	LI-ION 200 Ah - 48V	on request
68669Y	400Ah-48V	LI-ION 400 Ah - 48V	on request
68670G	700Ah-48V	LI-ION 700 Ah - 48V	on request
68671J	1000Ah-48V	LI-ION 1000 Ah - 48V	on request
68672L	1000Ah-48V	LI-ION 1000 Ah - 48V	on request

SINERGEX® - BATTERY CHARGES

PureCharge Battery Charge

65600T	PC-2512	Battery Charge 12 V/ 24 A IP20	244,10
65601V	PC-4012	Battery Charge 12 V/ 40 A IP20	319,20

Part No.	Model	Description	Euro
VICTRON ENERGY® - CHARGERS, INVERTERS, BATTERIES			
BATTERY CHARGERS			
Blue Power GX Series - IP20			
<i>Input: 90-265VAC, 45-65 Hz - Output: 1, Three charge stages</i>			
65626M	12/7 IP20	Blue Power 12/7, IP20 Charger	105,10
65627P	12/10 IP20	Blue Power 12/10, IP20 Charger	130,00
65571N	12/15 IP20	Blue Power 12/15, IP20 Charger	150,00
67914D	12/25 IP20	Blue Power 12/25, IP20 Charger, 1 output	190,00
67915F	12/25 IP20	Blue Power 12/25, IP20 Charger, 3 outputs	216,00
65628S	24/5 IP20	Blue Power 24/5, IP20 Charger	130,00
65577B	24/8 IP20	Blue Power 24/8, IP20 Charger	150,00
68372Y	24/12 IP20	Blue Power 24/12, IP20 Charger, 1 output	175,10
67917K	24/15 IP20	Blue Power 24/15, IP20 Charger, 3 outputs	216,00
Blue Power Series - Waterproof IP65			
<i>Input 230VAC, 45-65 Hz - Output: 1, Three charge stages</i>			
66009S	12/7 IP65	Blue Power 12/7, IP65 Charger	168,00
66406C	24/3 IP65	Blue Power 24/3, IP65 Charger	168,00
Blue Power Series - Waterproof IP67			
<i>Input 230VAC, 45-65 Hz - Output: 1, Three charge stages</i>			
68932L	12/17 IP67	Blue Power 12/17, IP67 Charger	189,00
68900X	12/25 IP67	Blue Power 12/25, IP67 Charger	230,00
68901Z	24/8 IP67	Blue Power 24/8, IP67 Charger	215,00
Phoenix Series, Microprocessor controlled			
<i>Input: 90-265VAC, 45-65 Hz - Output: 2 full current + 1x4A</i>			
<i>Four charge stages</i>			
64900A	12/30	Phoenix Battery Charger 12/30	418,00
64901C	12/50	Phoenix Battery Charger 12/50	616,00
64902E	24/16	Phoenix Battery Charger 24/16	425,00
64903G	24/25	Phoenix Battery Charger 24/25	616,00
Centaur Series, Analog Control based			
<i>Input: 90-265VAC, 45-65 Hz - Output: 3 full current, Three charge stages</i>			
64886K	12/20	Centaur Battery Charger 12/20	279,10
64887M	12/30	Centaur Battery Charger 12/30	319,10
64888P	12/40	Centaur Battery Charger 12/40	394,00
64889S	12/50	Centaur Battery Charger 12/50	418,00
64890A	12/60	Centaur Battery Charger 12/60	449,00
64891C	12/80	Centaur Battery Charger 12/80	734,00
64892E	12/100	Centaur Battery Charger 12/100	945,00
64894J	24/16	Centaur Battery Charger 24/16	389,00
64895L	24/30	Centaur Battery Charger 24/30	544,00
64896N	24/40	Centaur Battery Charger 24/40	711,10
64897R	24/60	Centaur Battery Charger 24/60	812,00
Skylla Series, Microprocessor controlled			
<i>Input: 265VAC e 450VAC, 45-65 Hz - Output: 1 full current + 1x4A</i>			
<i>Three charge stages</i>			
64904J	TG 24/30	Skylla-TG 24/30 Battery Charger	707,10
66036V	TG 24/30 GMDSS	Skylla-TG 24/30 GMDSS Battery Charger	1.081,00
64905L	TG 24/50	Skylla-TG 24/50 Battery Charger	765,00
67918M	TG 24/50 GMDSS	Skylla-TG 24/50 GMDSS Battery Charger	1.358,00

Part No.	Model	Description	Euro
68895H	TG 24/50	Skylla-TG 24/50 3-phase Battery Charger	1.389,00
64906N	TG 24/80	Skylla-TG 24/80 Battery Charger	1.254,00
64907R	TG 24/100	Skylla-TG 24/100 Battery Charger	1.514,00
64908T	TG 24/100	Skylla-TG 24/100 3-phase Battery Charger	2.221,00
64909V	TG 48/25	Skylla-TG 48/25 Battery Charger	918,00
64910D	TG 48/50	Skylla-TG 48/50 Battery Charger	1.632,00
Skylla-i Series, Microprocessor controlled			
<i>Input: 90-265VAC , 45-65 Hz - Output: 1 full current + 1x4A</i>			
<i>Three charge stages</i>			
68896K	i 24/80 (1+1)	Skylla-TG 48/50 Battery Charger	1.200,00
68897M	i 24/80 (3)	Skylla-TG 48/50 Battery Charger	1.400,00
68898P	i 24/100 (1+1)	Skylla-TG 48/50 Battery Charger	1.450,00
68899S	i 24/100(3)	Skylla-TG 48/50 Battery Charger	1.700,00
INVERTERS			
Phoenix Series up to 750VA			
<i>Output 230VAC, 50 Hz</i>			
64911F	12/180 Schuko	Phoenix 12/180 Inverter Schuko outlet	107,10
64912H	12/350 Schuko	Phoenix 12/350 Inverter Schuko outlet	138,00
68056M	12/800 Schuko	Phoenix12/800 Inverter Schuko outlet	345,10
68893D	12/1200 Schuko	Phoenix12/1200 Inverter Schuko outlet	505,10
64914M	24/180 Schuko	Phoenix24/180 Inverter Schuko outlet	107,10
64915P	24/350 Schuko	Phoenix 24/350 Inverter Schuko outlet	138,00
68100M	24/800 Schuko	Phoenix 24/800 Inverter Schuko outlet	345,10
68894F	24/1200 Schuko	Phoenix 24/1200 Inverter Schuko outlet	505,10
Phoenix Series 1200VA			
<i>Output 230VAC, 50 Hz</i>			
64918W	C12/1200	Phoenix C 12/1200 Inverter	633,00
64919Y	C12/1600	Phoenix C 12/1600 Inverter	772,00
66407E	C12/2000	Phoenix C 12/2000 Inverter	872,00
66037X	12/3000	Phoenix 12/3000 Inverter	1.373,10
64921J	C24/1200	Phoenix C 24/1200 Inverter	633,00
64922L	C24/1600	Phoenix C 24/1600 Inverter	772,00
66408G	C24/2000	Phoenix C 24/2000 Inverter	872,00
64923N	24/3000	Phoenix 24/3000 Inverter	1.373,10
66244C	24/5000	Phoenix 24/5000 Inverter	2.289,10
MULTI-FUNCTION INVERTER/BATTERY CHARGERS			
Phoenix Quattro SkVA Series			
<i>Output: 230VAC, 50 Hz, with "Power Contol"</i>			
<i>Input battery Charger: 187-265VAC, 45-55 Hz - Output: 1 full current + 1x4A</i>			
66880H	12/3000/120-50-30	Quattro 12/3000/120-50-30 Inverter /Charger	2.456,00
67437V	12/5000/220-100-100	Quattro 12/5000/220-100-100 Inverter /Charger	3.824,00
66881K	24/3000/70-50-30	Quattro 24/3000/70-50-30 Inverter /Charger	2.210,00
66097S	24/5000/120-100-100	Quattro 24/5000/120-100-100 Inverter /Charger	2.878,00
67338T	24/8000/200-100-100	Quattro 24/8000/200-100-100 Inverter /Charger	4.248,00
Easyplus			
64948F	EP C 12/1600/70-16	Phoenix EasyPlus C 12/1600/70-16 Inverter /Charger	1.200,00

Part No.	Model	Description	Euro
Phoenix MultiPlus Series			
<i>Output 230VAC, 50 Hz, with "Power Contol" and "Power Assist"</i>			
<i>Input Battery Charger: 187-265VAC, 45-55 Hz- Output: 1 full current + 1x4A</i>			
64927X	C12/800/35-16	Phoenix MultiPlus C12/800/35-16 Inverter/Charger	736,00
64932P	C12/1200/50-16	Phoenix MultiPlus C12/1200/50-16 Inverter /Charger	921,10
64933S	C12/1600/70-16	Phoenix MultiPlus C12/1600/70-16 Inverter /Charger	1.046,00
64936Y	C12/2000/80-30	Phoenix MultiPlus C12/2000/80-30 Inverter /Charger	1.308,00
64938C	12/3000/120-16	Phoenix MultiPlus 12/3000/120-16 Inverter /Charger	1.616,00
66875R	12/3000/120-50	Phoenix MultiPlus 12/3000/120-50 Inverter /Charger	1.744,00
64929B	24/800/16-16	Phoenix MultiPlus 24/800/16-16 Inverter/Charger	736,00
64940N	C24/1200/25-16	Phoenix MultiPlus C24/1200/25-16 Inverter /Charger	921,10
64941R	C24/1600/40-16	Phoenix MultiPlus C24/1600/40-16Inverter /Charger	1.046,00
65792F	C24/2000/50-30	Phoenix MultiPlus C24/2000/50-30 Inverter /Charger	1.308,00
64944X	24/3000/70-16	Phoenix MultiPlus 24/3000/70-16 Inverter /Charger	1.616,00
64945Z	24/3000/70-50	Phoenix MultiPlus 24/3000/70-50 Inverter /Charger	1.744,00
67433L	24/5000/120-50	Phoenix MultiPlus 24/5000/120-50 Inverter /Charger	2.326,00
DC-DC CONVERTERS			
Orion Series , Non isolated			
64949H	24/12-5	Orion 24/12-5 Converter	35,10
64951U	24/12-12	Orion 24/12-12 Converter	48,00
67919P	24/12-17	Orion 24/12-17 Converter	51,10
68027E	24/12-25	Orion 24/12-25 Converter	80,00
68107C	24/12-40	Orion 24/12-40 Converter	113,00
68222C	24/12/70	Orion 24/12-70 Converter	180,00
64955C	12/24-7	Orion 12/24-7 Converter	65,00
64956E	12/24-10	Orion 12/24-10 Converter	80,00
68882Y	12/24-20	Orion 12/24-20 Converter	180,00
Orion Series , Isolated against galvanic currents			
<i>Input xx = 12, 24, 48 o 96 VDC Output yy = 12 o 24 VDC</i>			
64958J	Orion 12/24-100W	Orion 12/24-100W Converter	100,00
64962Z	Orion 12/24-200W	Orion 12/24-200W Converter	119,10
64966H	Orion 12/24-360W	Orion 12/24-360W Converter	244,00
64959L	Orion 24/12-100W	Orion 24/12-100W Converter	100,00
64963B	Orion 24/12-200W	Orion 24/12-200W Converter	119,10
64967K	Orion 24/12-360W	Orion 24/12-360W Converter	244,00
ISOLATION TRANSFORMERS AND AUTOTRANSFORMERS			
Isolation Transformers			
64969P	2000W 115/230 V	2000W 115/230 VAC Isolation Transformer	479,10
64970Y	3600W 115/230 V	3600W 115/230 VAC Isolation Transformer	816,00
64972C	7000W 230 V	7000W 230 VAC Isolation Transformer	1.010,00
Autotransformers 120/240			
68349D	32A	120/240V 32A Autotransformers	561,00
68883A	100A	120/240V 100A Autotransformers	795,00
ACCESSORIES			
Battery MonitorS			
66164E	BMV 600S	1 Battery Monitor 9-90 VDC - Standard with connection cables and	139,10
66409J	BMV 602S	2 Batteries Monitor 9-90 VDC - Standard with connection cables a	182,00
68954X	BWM 602S BLACK	2 Batteries Monitor 9-90 VDC - Standard with connection cables a	182,00

Part No.	Model	Description	Euro
BATTERY ISOLATORS			
<i>Argo Diode Battery Isolators</i>			
67435R	80-2AC	Argo 80-2AC 2 Isolator - Battery 80A	51,10
64984K	100-3AC	Argo 100-3AC 3 Isolator - Battery 100A	69,00
64985M	120-2AC	Argo 120-2AC 2 Isolator - Battery 120A	77,00
64986P	140-3AC	Argo 140-3AC 3 Isolator - Battery 140A	97,00
64987S	160-2AC	Argo 160-2AC 2 Isolator - Battery 160A	92,00
64988U	180-3AC	Argo 180-3AC 3 Isolator - Battery 180A	112,00
<i>ArgoFET Battery Isolators</i>			
64989W	1002-FET	Argo-1002 FET 2 Isolator - Battery 100A	102,00
64990E	1003-FET	Argo-1003 FET 3 Isolator - Battery 100A	117,00
64991G	2002-FET	Argo-2002 FET 2 Isolator - Battery 200A	122,00
64992J	2003-FET	Argo-2003 FET 3 Isolator - Battery 200A	143,10
MICROPROCESSOR CONTROLLED BATTERY COMBINERS			
<i>Cyrix Series Microprocessor Controlled Battery Combiner</i>			
68956B	i 12/24-120	Cyrix-i 12/24V-120A Intelligent Battery Combiner	41,00
67063D	i 12/24-225	Cyrix-i 12/24V-225A Intelligent Battery Combiner	102,00
67064F	i 12/24-400	Cyrix-i 12/24V-400A Intelligent Battery Combiner	239,10
BATTERY PROTECTION			
66038Z	BP-40i	Battery Protection BP-40, 6-35 VDC	75,10
65000S	BP-60i	Battery Protection BP-60, 6-35 VDC	113,10
66246G	BP-200i	Battery Protection BP-200, 6-35 VDC	143,10
REMOTE CONTROL PANELS AND CONNECTION CABLES			
<i>Control Panels</i>			
66717W	DMC 200/200	Digital Multi Control 200/200A	133,00
67920Y	DMC 200/200 GX	Digital Multi Control 200/200A GX	133,00
65005C	Phoenix CC Inverter	Phoenix Inverter Control Panel	66,00
65006E	Phoenix CC Charger	Phoenix Charger Control Panel	69,00
68885E	Skylla - i GX 90	Skylla-i Control GX Panel	133,00
65007G	Skylla CC	Skylla Control Panel	120,00
65008J	CW	Skylla On-Off Switch	73,00
65009L	BA	Battery Alarm Panel	61,10
<i>Cables and Connection Kits</i>			
65010V	UTP-5 RJ45	Cable UTP 5 m	19,10
65011X	UTP-10 RJ45	Cable UTP 10 m	23,10
65012Z	UTP-15 RJ45	Cable UTP 15 m	28,00
65013B	UTP-20 RJ45	Cable UTP 20 m	30,00
65014D	UTP-25 RJ45	Cable UTP 25 m	33,00
65015F	UTP-30 RJ45	Cable UTP 30 m	35,10
65018M	RS232/MK.2b	Connection Kit RS232/MK.2b Victron Interface	58,00
65019P	USB/RS232	Converter USB/RS232	31,10
67082H	MK2/USB	Converter USB/MK.2b	58,00
66731P	MP32-10	Power Inlet 32A stainless steel with cover IP68	74,50
<i>Automatic Transfer Switch</i>			
66138D	Filax	Filax Transfer Switch CE 50 Hz (up tp 3500W) shore/inverter	389,00
BATTERIES (Capacity in C10)			
<i>AGM Type Batteries</i>			
65022C	AGM 12/60	12V/55-60Ah AGM Deep Cycle Battery	153,10
65023E	AGM 12/66	12V/60-66Ah AGM Deep Cycle Battery	196,00

Part No.	Model	Description	Euro
65024G	AGM 12/90	12V/80-90Ah AGM Deep Cycle Battery	208,00
65645S	AGM 12/110	12V/100-110Ah AGM Deep Cycle Battery	261,00
65025J	AGM 12/130	12V/120-130Ah AGM Deep Cycle Battery	307,10
65026L	AGM 12/165	12V/150-165Ah AGM Deep Cycle Battery	391,10
65027N	AGM 12/220	12V/200-220Ah AGM Deep Cycle Battery	495,10
GEL Type Batteries			
65028R	GEL 12/60	12V/55-60Ah GEL Deep Cycle Battery	171,10
65029T	GEL 12/66	12V/60-66Ah GEL Deep Cycle Battery	213,00
65030B	GEL 12/90	12V/80-90Ah GEL Deep Cycle Battery	221,00
65646U	GEL 12/110	12V/100-110Ah GEL Deep Cycle Battery	275,10
65031D	GEL 12/130	12V/120-130Ah GEL Deep Cycle Battery	321,00
65032F	GEL 12/165	12V/150-165Ah GEL Deep Cycle Battery	407,10
65033H	GEL 12/220	12V/200-220Ah GEL Deep Cycle Battery	515,10
GEL OPzV tubularplate cells 2V Batteries			
65034K	GEL 2/800	Cell 2V/800Ah GEL	714,00
65035M	GEL 2/1000	Cell 2V/1000Ah GEL	836,00
65036P	GEL 2/1500	Cell 2V/1500Ah GEL	1.146,00
65037S	GEL 2/2000	Cell 2V/2000Ah GEL	1.556,00
65038U	GEL 2/3000	Cell 2V/3000Ah GEL	2.254,00
LITHIUM-ION BATTERIES			
Lithium-Ion batteries 12,8V			
68890X	LFP-CB 12,8/60	Lithium- Ion Battery 12,8V 60Ah	964,00
68891Z	LFP-CB 12,8/90	Lithium- Ion Battery 12,8V 90Ah	1.292,00
68761K	LFP-CB 12,8/160	Lithium- Ion Battery 12,8V 160Ah	2.297,00
68762M	LFP-CB 12,8/200	Lithium- Ion Battery 12,8V 200Ah	2.871,00
Lithium-Ion batteries 12,8V with Battery Management System			
68763P	LFP-BMS 12,8/60	Lithium- Ion Battery 12,8V 60Ah with BMS	1.060,00
68764S	LFP-BMS 12,8/90	Lithium- Ion Battery 12,8V 60Ah with BMS	1.421,00
68765U	LFP-BMS 12,8/160	Lithium- Ion Battery 12,8V 60Ah with BMS	2.527,00
68766W	LFP-BMS 12,8/200	Lithium- Ion Battery 12,8V 60Ah with BMS	3.158,00
Cables with M8 Circular Connector for Lithium-Ion batteries			
68886G	3 pole male to female cable 1,00 m (3.3') - 2 cables/box		22,00
68887J	3 pole male to female cable 2,00 m (6.6') - 2 cables/box		25,00
68888L	3 pole male to female cable 3,00 m (9.8') - 2 cables/box		31,00
68889N	3 pole male to female cable 4,00 m (13.1') - 2 cables/box		36,00
WIND & SOLAR RENEWABLE ENERGY			
PRIMUS WINDPOWER® - WIND GENERATORS			
Air Breeze™ Wind Generators			
68070F	1-ARBM-15-12	Wind Generator 12V DC - with internal speed regulator	1.295,00
68071H	1-ARBM-15-24	Wind Generator 24V DC - with internal speed regulator	1.295,00
SILENTWIND® - WIND GENERATORS			
Silentwind™ 400 - 3 Blade Generators, Charge Regulator included			
68482F	SLW-420-12	12V 420W Silentwind Generator with Charge Regulator	1.552,00
68483H	SLW-450-24	24V 450W Silentwind Generator with Charge Regulator	1.602,00
68484K	SLW-500-48	48V 500W Silentwind Generator with Charge Regulator	1.314,00
Spare Parts and Accessories for Silentwind™ Generators			
68980Y	Hybrid 1000 12V	Hybrid Spare Charge Regulator for Silentwind™ 12V (ex 68687A)	414,00
68981A	Hybrid 1000 24V	Hybrid Spare Charge Regulator for Silentwind™ 24V (ex 68688C)	414,00

Part No.	Model	Description	Euro
68485M	3BK	Three Blade Spare Kit	383,00
68689E	RP	Reinforced Pole	295,00
68690N	MPK	Pole Mounting kit	413,00
SUNWARE® - MARINE PV SOLAR MODULES			
<i>No glass, step-on Solar Modules</i>			
65103C	SW-3061	12 Wp rated Power - 12V DC - size: cm 25 x 47 x 0,5	284,00
65104E	SW-3062	18 Wp rated Power - 12V DC - size: cm 25 x 64 x 0,5	358,00
65105G	SW-3063	24 Wp rated Power - 12V DC - size: cm 46 x 47 x 0,5	439,00
65106J	SW-3064	34 Wp rated Power - 12V DC - size: cm 46 x 64 x 0,5	520,00
65107L	SW-3065	48 Wp rated Power - 12V DC - size: cm 50 x 84 x 0,5	694,00
65108N	SW-3066	70 Wp rated Power - 12V DC - size: cm 89 x 64 x 0,5	879,00
65109R	SW-3265	48 Wp rated Power - 24V DC - size: cm 50 x 84 x 0,5	717,00
65110Z	SW-3266	70 Wp rated Power - 24V DC - size: cm 89 x 64 x 0,5	902,00
<i>Accessories for Sunware PV Modules</i>			
64098H	30106022	2 middle clips kit	8,20
64099K	30106014	4 side clips kit	15,80
64100R	S-30101015	Waterproof connector (m) 2x1,5	17,70
64101T	S-30102015	Waterproof connector (f) 2x1,5	20,10
64102V	S-30103015	Waterproof plug for connectors and flange	5,70
64104Z	S-30104015	Bulkhead kit	11,60
PHOTON® - PV MODULES			
<i>Multi-cristalline PV Modules</i>			
65867L	PM005	PV Module - 5 Watt	7,80
65868N	PM010	PV Module - 10 Watt	15,50
65869R	PM020	PV Module - 20 Watt	30,90
65707M	PM040	PV Module - 40 Watt	61,80
65493V	PM060	PV Module - 60 Watt	92,70
65708P	PM080	PV Module - 80 Watt	123,60
65870Z	PM0100	PV Module - 100 Watt	154,50
65118S	PM0115	PV Module - 115 Watt	177,70
66211L	PM0135	PV Module - 135 Watt	208,60
MORNINGSTAR® - CHARGE REGULATORS			
<i>ProStar™ Series</i>			
62643W	PS-15M	ProStar 12V/24V DC - 15A with LVD and Monitor	191,90
61737A	PS-30M	ProStar 12V/24V DC - 30A with LVD and Monitor	234,10
63072H	PS 15M-48V	ProStar 48V DC - 15A with LVD and Monitor	239,40
<i>SunSaver™ Series</i>			
61213E	SS 6L	SunSaver 12V DC DC - 6A with LVD	65,20
61415B	SS 10	SunSaver 12V DC - 10A	63,40
61192X	SS 10L	SunSaver 12V DC - 10A with LVD	81,00
61734U	SS 20L	SunSaver 12V DC - 20A with LVD	110,90
61938L	SS 10 L-24V	SunSaver 24V DC - 10A with LVD	86,30
<i>SunSaver MPPT™</i>			
66242Y	MPPT	SunSaver 24V DC - 10A with LVD	306,30
<i>SunSaver Duo™</i>			
66129C	DUO	SunSaver 24V DC - 10A with LVD	190,10

Part No.	Model	Description	Euro
----------	-------	-------------	------

HALYARD® - SILENCING AND EXHAUST SYSTEMS

EXHAUST WATER SEPARATORS

MS 4000 Series

66902R	H012752	Water Separator 40 mm (1.5")	236,40
--------	---------	------------------------------	--------

MS 5000 Series

66710F	H010257	Water Separator 45 mm (1 ¾")	272,80
66812P	H010258	Water Separator 50 mm (2")	272,80
66711H	H010261	Water Separator 60 mm (2½")	272,80
66708V	H010259	Water Separator 45 mm (1 ¾")	300,00
66882M	H010260	Water Separator 50 mm (2")	272,80
66709X	H010262	Water Separator 60 mm (2½")	300,00

MS 7500 Series

66883P	H07889	Water Separator 75 mm (3")	368,90
66884S	H08363	Water Separator 75 mm (3")	368,90

Mid-Gen Exhaust Water Separators

65843W	HFS025	2.5" Midsize general separator	717,50
65845A	HFS035	3.5" Midsize general separator	834,80
65568A	HFS040	4.0" Midsize general separator	834,80

Mid-Engine Exhaust Water separators

65846C	HWS035	3.5" Water Separator round	955,90
65847E	HWS040	4.0" Water Separator round	1.030,10
65848G	HWS050	5.0" Water Separator round	1.324,80
65849J	HWS060	6.0" Water Separator round	1.488,80

LIFT SILENCERS

Top in/Top out Lift Silencer

65850T	HTT005	1.50" top/top lift silencer	311,20
65852X	HTT025	1.62" top/top lift silencer	311,20
65853Z	HTT030	1.62" top/top lift silencer	311,20
65854B	HTT040	1.77" top/top lift silencer	311,20
65855D	HTT045	1.77" top/top lift silencer	311,20
65856F	HTT055	2.00" top/top lift silencer	311,20
65857H	HTT065	2.00" top/top lift silencer	269,30
65858K	HTT070	2.00" top/top lift silencer	328,80
65896U	HTT085	2.38" top/top lift silencer	328,80
65897W	HTT090	2.50" top/top lift silencer	328,80
65898Y	HTT110	3.00" top/top lift silencer	286,00
65899A	HTT115	3.50" top/top lift silencer	379,40
65900F	HTT120	4.00" top/top lift silencer	390,70
65901H	HTT125	5.00" top/top lift silencer	551,90
65902K	HTT130	6.00" top/top lift silencer	793,50

Side in/Top out Lift Silencer

65903M	HST005	1.50" side/top lift silencer	311,20
65904P	HST010	1.50" side/top lift silencer	297,30
65905S	HST025	1.62" side/top lift silencer	269,30
65906U	HST035	1.62" side/top lift silencer	311,20
65907W	HST055	1.75" side/top lift silencer	311,20
65908Y	HST105	2.00" side/top lift silencer	269,30
65769L	HST110	2.00" side/top lift silencer	269,30
65909A	HST115	2.00" side/top lift silencer	375,90

Note: usually stocked sizes are shown in bold type and sold at lower prices

Part No.	Model	Description	Euro
65910J	HST145	2.38" side/top lift silencer	375,90
65911L	HST150	2.38" side/top lift silencer	297,30
65912N	HST165	2.50" side/top lift silencer	340,60
65913R	HST200	3.00" side/top lift silencer	297,30
65914T	HST205	3.00" side/top lift silencer	359,20
65793H	HST210	3.50" side/top lift silencer	390,70
65770V	HST215	4.00" side/top lift silencer	410,50
65915V	HST220	5.00" side/top lift silencer	586,20
65916X	HST225	5.00" side/top lift silencer	509,40
65917Z	HST230	6.00" side/top lift silencer	814,70
65918B	HST235	6" in 8" out side/top lift silencer	961,90
65919D	HST240	8.00" side/top lift silencer	1.183,50
<i>Angled Side in/Top out Lift Silencer</i>			
65920M	HAT015	2.38" angled in lift silencer	297,30
65921P	HAT020	3.00" angled in lift silencer	311,60
65922S	HAT025	3.50" angled in lift silencer	402,00
65923U	HAT030	3.50" angled in lift silencer	441,20
65924W	HAT035	4.00" angled in lift silencer	591,30
65925Y	HAT040	4.00" angled in lift silencer	488,60
65926A	HAT043	4.50" angled in lift silencer	683,80
65927C	HAT045	5.00" angled in lift silencer	698,50
65928E	HAT050	6.00" angled in lift silencer	799,20
<i>End in /End out Lift Silencer</i>			
65929G	HEE005	1.50" side/side lift silencer	340,60
65930R	HEE010	1.62" side/side lift silencer	340,60
65931T	HEE020	1.77" side/side lift silencer	340,60
65932V	HEE035	2.00" side/side lift silencer	297,30
65933X	HEE040	2.00" side/side lift silencer	358,60
65934Z	HEE045	2.00" side/side lift silencer	337,30
65935B	HEE060	2.38" side/side lift silencer	387,60
65936D	HEE065	2.38" side/side lift silencer	352,90
65937F	HEE070	2.50" side/side lift silencer	405,80
65938H	HEE080	3.00" side/side lift silencer	387,50
65939K	HEE090	3.50" side/side lift silencer	416,00
65940U	HEE095	4.00" side/side lift silencer	458,20
65941W	HEE100	4.50" side/side lift silencer	574,30
65942Y	HEE105	5.00" side/side lift silencer	497,70
IN-LINE SILENCERS			
<i>In-line Round Body Silencer</i>			
65943A	HILR003	2.38" In-line round silencer	359,80
65944C	HILR005	3.00" In-line round silencer	321,30
65945E	HILR010	3.50" In-line round silencer	420,30
65946G	HILR015	4.00" In-line round silencer	472,70
65947J	HILR020	4.50" In-line round silencer	650,30
65948L	HILR025	5.00" In-line round silencer	676,40
65949N	HILR030	5" in 6" out In-line round silencer	871,10
65950X	HILR035	6.00" In-line round silencer	933,00
65951Z	HILR040	6" in 8" out In-line round silencer	1.729,40
65952B	HILR045	8.00" In-line round silencer	on request
65954F	HILR050	10.00" In-line round silencer	on request

Note: usually stocked sizes are shown in bold type and sold at lower prices

Part No.	Model	Description	Euro
65955H	HILR055	12.00" In-line round silencer	on request
<i>In-line Oval Body Silencer</i>			
65956K	HIL0005	5.00" In-line oval silencer	933,00
65957M	HIL0006	5" in 6" out In-line oval silencer	1.057,60
65958P	HIL0010	6.00" In-line oval silencer	1.126,20
65959S	HIL0012	6" in 8" out In-line oval silencer	1.633,00
65960A	HIL0015	8.00" In-line oval silencer	2.235,10
65961C	HIL0016	8" in 10" out In-line oval silencer	3.487,70
65962E	HIL0020	10.00" In-line oval silencer	3.570,30
DUAL CHAMBER SILENCERS **			
65964J	HDC025	4.00" Dual Chamber lift silencer	1.685,20
65965L	HDC035	5.00" Dual Chamber lift silencer	1.877,60
65966N	HDC040	5" in 6" out Dual Chamber lift silencer	2.069,40
65967R	HDC045	6.00" Dual Chamber lift silencer	2.187,70
65968T	HDC050	6" in 8" out Dual Chamber lift silencer	2.276,40
65969V	HDC055	8" Dual Chamber lift silencer	3.192,40
65970D	HDC060	8" in 10" out Dual Chamber lift silencer	on request
65971F	HDC065	10.00" Dual Chamber lift silencer	on request
65972H	HDC070	12.00" Dual Chamber lift silencer	on request
<i>**Prices are for guidance only: they will vary depending upon the exact position of the inlet and outlet</i>			
HALYARD® - NOISE INSULATION MATERIALS			
<i>12mm (1/2") materials - 4 sheets 1000x 600mm (39"x24") per box: tot 2,4m²</i>			
66383T	S3002	Maritex faced material	191,60
66384V	S3004	Sealglass faced material	178,20
66385X	S3003	Reinforced silver polyester faced material	159,80
<i>12mm (1/2") Self-adhesive materials - 4 sheets 1000x 600mm (39"x24") per box: tot 2,4m²</i>			
66386Z	S5002	Maritex faced material	232,40
66387B	S5004	Sealglass faced material	222,30
66388D	S5003	Reinforced silver polyester faced material	200,10
<i>32mm (1¼") materials - 4 sheets 1000x 600mm (39"x24") per box: tot 2,4m²</i>			
66007M	S3017	Maritex faced material	259,60
66389F	S3015	Sealglass faced material	244,00
66390P	S3016	Reinforced silver polyester faced material	222,60
<i>32mm (1¼") Self-adhesive materials - 4 sheets 1000x 600mm (39"x24") per box: tot 2,4m²</i>			
66391S	S5017	Maritex faced material	301,80
66392U	S5015	Sealglass faced material	288,30
66393W	S5016	Reinforced silver polyester faced material	261,70
<i>45mm (1¾") materials - 2 sheets 1000x 600mm (39"x24") per box: tot 1,2m²</i>			
66394Y	S3039	Maritex faced material	218,40
66395A	S3037	Sealglass faced material	203,30
66396C	S3038	Reinforced silver polyester faced material	187,50
<i>45mm (1¾") Self-adhesive materials - 2 sheets 1000x 600mm (39"x24") per box: tot 1,2m²</i>			
66397E	S5039	Maritex faced material	234,90
66398G	S5037	Sealglass faced material	223,90
66399J	S5038	Reinforced silver polyester faced material	205,90
<i>Joining Tapes</i>			
66400P	S4021	5m x 50mm (16"x2") Sealglass tape	25,80
66008P	S4025	5m x 50mm (16"x2") Maritex tape	27,40
66401S	S4035	10m x 50mm (33"x2") Reinforced silver polyester tape	10,20
66402U	S4036	50m x 50mm (163"x2") Reinforced silver polyester tape	25,80

Part No.	Model	Description	Euro
WAVESTREAM® - BILGE WATER FILTRATION SYSTEM			
65973K	WMS	Wavestream Micro System complete with cartridge	177,20
65977U	WS-CM	Wavestream Micro System Cartridge	43,20
65974M	WSS1	Wavestream System 1000 complete with cartridge	237,80
65978W	WS-C1	Wavestream System 1000 Cartridge	72,50
65975P	WSS2	Wavestream System 2000 complete with cartridge	477,50
65979Y	WS-C2	Wavestream System 2000 Cartridge	175,80
65976S	WSS3	Wavestream System 3000 complete with cartridge	715,60
65980G	WS-C3	Wavestream System 3000 Cartridge	322,20
MARVAIR® MARINE AIR CONDITIONING SYSTEMS			
SELF CONTAINED AIR CONDITIONERS			
<i>Reverse Cycle Air Conditioners - MAB Series - Early Start included</i>			
68235M	MAB07	7.000 BTUH, 220/240V	1.773,00
68299R	MAB10	10.000 BTUH, 220/240V	1.890,00
68300W	MAB12	12.000 BTUH, 220/240V	1.968,00
68234K	MAB16	16.000 BTUH, 220/240V	2.125,00
68302A	MAB24	24.000 BTUH, 220/240V	2.964,00
<i>Thermostat and Sea Water Pump are not included</i>			
Thermostats for MAB Units			
68208J	o-Touch	Digital Flush Mount Thermostat	213,00
68145L	o-LED	Digital Flush Mount Thermostat	200,00
Sea Water Pumps for MAB Units			
68303C	PSL-250-29	Sea Water Pumps 250 GPH, 230 V	247,00
68304E	PSA-500-29	Sea Water Pumps 500 GPH, 230 V	353,00
68305G	PSA-1000-29	Sea Water Pumps 985 GPH, 230 V	369,00
<i>Sea Water Pump Accessories</i>			
68324L		Pump relay, two to six units 230V 1 phase	188,00
68340J		Spare tank for pumps 250-1000	127,00
68341L		Pump mounting kit for PSA-1000 type	50,90
Self-Contained DC Air Conditioners Kits			
<i>Kit includes thermostat, water pump and 5 m (15') cable</i>			
68308N	Kit SMB05-12VD	5000 BTUH Air Conditioner , includes o-LED thermostat	3.680,00
68309R	Kit SMB14-24VD	Variable capacity 7000 to 14000 BTUH, includes o-Touch thermostat	4.854,00
CHILLERS AND CHILLED WATER AIR HANDLERS			
Reverse Cycle Chillers			
68310Z	CHA24RCW	24.000 BTUH, 220/240V	3.219,00
68311B	CHA36RCW	36.000 BTUH, 220/240V	3.458,00
68312D	CHA48RCW	48.000 BTUH, 220/240V	4.264,00
68837T	CHA60RCW	60.000 BTUH, 220/240V	5.888,00
68315K	CHA48RCE	48.000 BTUH, 380V	4.264,00
68838V	CHA60RCE	60.000 BTUH, 380V trif.	5.888,00
68839X	CHA72RCE	72.000 BTUH, 380V trif.	6.688,00
68840F	CHA90RCE	90.000 BTUH, 380V trif.	10.083,00
68841H	CHA102RCE	102.000 BTUH, 380V trif.	10.487,00
68842K	CHA120RCE	120.000 BTUH, 380V trif.	11.374,00
68843M	CHA150RCE	150.000 BTUH, 380V trif.	12.100,00

Part No.	Model	Description	Euro
68844P	CHA180RCE	180.000 BTUH, 380V trif.	14.877,00
Chilled Water Air Handlers (Fan coils)			
68316M	CWAH04	4.000 BTUH, 220V	846,00
68317P	CWAH06	6.000 BTUH, 220V	961,00
68318S	CWAH09	9.000 BTUH, 220V	1.009,00
68319U	CWAH12	12.000 BTUH, 220V	1.057,00
68320C	CWAH18	18.000 BTUH, 220V	1.155,00
68321E	CWAH24	24.000 BTUH, 220V	1.513,00
Display and Control Board for Chillers			
68322G	681131	Single Stage Control - 230V 1ph	408,00
68323J	681551	Single Stage Control - 380V 3ph	274,00
68852N	682134	Dual Stage Control - 230V 1ph	769,00
68853R	682554	Dual Stage Control - 380V 3ph	500,00
68854T	683554	Triple Stage Control - 230V 1ph	727,00
68855V	683134	Triple Stage Control - 380V 3ph	1.131,00
Chilled Water Accessories			
68324L	650050	Pump relay, two to six units 230V 1 phase	194,00
68342N	940003	Heater Assembly for Air Handlers 1,5 kW, 240V	335,00
68343R	940009	Heater Assembly for Air Handlers 3 kW, 240V	416,00
68344T	920150	SecureStart	364,00
68326R	920006	Fill Assembly ½" FPT, Press Reducer & Fill Valve	163,00
68327T	920007	Press Reducing Valve, 12PSI, ½" FPT	134,00
68328V	920008	Spirotop ½"	119,00
68329X	920009	Spirovent 1-¼" in-line 15 GPM (60k BTU)	246,00
68330F	920010	Spirovent 1-½" in-line 30 GPM (120k BTU)	336,00
SEAWATER PUMPS			
63426T	PMD-221	Spirovent 1-½" in-line 30 GPM (120k BTU)	180,00
63570A	PMD-371	Spirovent 1-½" in-line 30 GPM (120k BTU)	215,00
63344R	PMD-421	Spirovent 1-½" in-line 30 GPM (120k BTU)	296,00
63799K	5513-1E01	Spirovent 1-½" in-line 30 GPM (120k BTU)	260,00
Accessories for Seawater Pumps			
62527U	252-3300	Spirovent 1-½" in-line 30 GPM (120k BTU)	41,30
61124E	170010	Spirovent 1-½" in-line 30 GPM (120k BTU)	33,30
63185X	253-120-00	Spirovent 1-½" in-line 30 GPM (120k BTU)	61,60
Adapters T and Y (to install on fan output collar)			
62419R	AT444	Adapter T, 100 mm (4") Inlet - 100/100 (4",4") Outlets	80,70
62420Z	AT544	Adapter T, 125 mm (5") Inlet - 100/100 (4",4") Outlets	80,70
62421B	AT554	Adapter T, 125 mm (5") Inlet - 125/100 (5",4") Outlets	80,70
62422D	AT555	Adapter T, 125 mm (5") Inlet - 125/125 (5",5") Outlets	80,70
63899P	AT644	Adapter T, 150 mm (6") Inlet - 100/100 (4",4") Outlets	80,70
62423F	AT654	Adapter T, 150 mm (6") Inlet - 125/100 (5",4") Outlets	80,70
63900V	AT655	Adapter T, 150 mm (6") Inlet - 125/125 (5",5") Outlets	80,70
62424H	AY444	Adapter Y, 100 mm (4") Inlet - 100/100 (4",4") Outlets	80,70
62425K	AY544	Adapter Y, 125 mm (5") Inlet - 100/100 (4",4") Outlets	80,70
62426M	AY554	Adapter Y, 125 mm (5") Inlet - 125/100 (5",4") Outlets	80,70
62427P	AY555	Adapter Y, 125 mm (5") Inlet - 125/125 (5",5") Outlets	80,70
62875U	AY644	Adapter Y, 150 mm (6") Inlet - 100/100 (4",4") Outlets	80,70
62428S	AY654	Adapter Y, 150 mm (6") Inlet - 125/100 (5",4") Outlets	80,70
63546D	AY655	Adapter Y, 150 mm (6") Inlet - 125/125 (5",5") Outlets	80,70

Part No.	Model	Description	Euro
Air Dividers T and Y (hose to hose dividers)			
62225B	HT444	Divider T, 100 mm (4") Inlet - 100/100 (4",4") Outlets	80,70
62226D	HT544	Divider T, 125 mm (5") Inlet - 100/100 (4",4") Outlets	80,70
63904D	HT554	Divider T, 125 mm (5") Inlet - 125/100 (5",4") Outlets	80,70
63905F	HT555	Divider T, 125 mm (5") Inlet - 125/125 (5",5") Outlets	80,70
63107A	HT644	Divider T, 150 mm (6") Inlet - 100/100 (4",4") Outlets	80,70
63906H	HT654	Divider T, 150 mm (6") Inlet - 125/100 (5",4") Outlets	80,70
62227F	HT655	Divider T, 150 mm (6") Inlet - 125/125 (5",5") Outlets	80,70
63907K	HT665	Divider T, 150 mm (6") Inlet - 150/125 (6",5") Outlets	80,70
63908M	HT666	Divider T, 150 mm (6") Inlet - 150/150 (6",6") Outlets	80,70
62876W	HY444	Divider Y, 100 mm (4") Inlet - 100/100 (4",4") Outlets	80,70
62220R	HY544	Divider Y, 125 mm (5") Inlet - 100/100 (4",4") Outlets	80,70
62221T	HY554	Divider Y, 125 mm (5") Inlet - 125/100 (5",4") Outlets	80,70
63910Y	HY555	Divider Y, 125 mm (5") Inlet - 125/125 (5",5") Outlets	80,70
62222V	HY644	Divider Y, 150 mm (6") Inlet - 100/100 (4",4") Outlets	80,70
62223X	HY654	Divider Y, 150 mm (6") Inlet - 125/100 (5",4") Outlets	80,70
62224Z	HY655	Divider Y, 150 mm (6") Inlet - 125/125 (5",5") Outlets	80,70
Round and Oval Hose Rings (Hose/Plenum)			
62204T	HR4	Hose Ring, round 100 mm (4")	16,60
62205V	HR5	Hose Ring, round 125 mm (5")	16,60
63912C	HR6	Hose Ring, round 150 mm (6")	17,40
62206X	HRO4	Hose Ring, oval 100 mm (4")	17,40
62207Z	HRO5	Hose Ring, oval 125 mm (5")	17,40
62208B	HRO6	Hose Ring, oval 150 mm (6")	17,40
Flow Transition Boxes (no rings)			
63913E	TB-04x04	Transition Box 100x100 mm (4x4")	40,40
62216A	TB-06x04	Transition Box 150x100 mm (6x4")	40,40
63914G	TB-06x06	Transition Box 150x150 mm (6x6")	40,40
62217C	TB-08x04	Transition Box 200x100 mm (8x4")	40,40
62531J	TB-08x06	Transition Box 200x150 mm (8x6")	40,40
62555Z	TB-08x08	Transition Box 200x200 mm (8x8")	40,40
62218E	TB-10x04	Transition Box 250x100 mm (10x4")	40,40
62576H	TB-10x06	Transition Box 250x150 mm (10x6")	40,40
62219G	TB-10x08	Transition Box 250x200 mm (10x8")	40,40
63915J	TB-10x10	Transition Box 250x250 mm (10x10")	40,40
Flow Transition Boxes (with preassembled rings)			
<i>Ring Back</i>			
64252R	TB-04x04-04RB	Transition Box 100x100 mm (4x4"), 100 (4") ring back	48,50
64253T	TB-06x04-04OB	Transition Box 150x100 mm (6x4"), 100 (4") ring back	48,50
64254V	TB-08x04-04OB	Transition Box 200x100 mm (8x4"), 100 (4") ring back	48,50
64255X	TB-08x04-05OB	Transition Box 200x100 mm (8x4"), 125 (5") ring back	48,50
64256Z	TB-10x04-05OB	Transition Box 250x100 mm (10x4"), 125 (5") ring back	48,50
<i>Ring Side</i>			
64257B	TB-08x04-04OS	Transition Box 200x100 mm (8x4"), 100 (4") ring side	48,50
64258D	TB-08x04-05OS	Transition Box 200x100 mm (8x4"), 125 (5") ring side	48,50
64259F	TB-10x04-04OS	Transition Box 250x100 mm (10x4"), 100 (4") ring side	48,50
64260P	TB-10x04-05OS	Transition Box 250x100 mm (10x4"), 125 (5") ring side	48,50
<i>Ring End</i>			
64261S	TB-04x04-04RE	Transition Box 100x100 mm (4x4"), 100 (4") ring end	55,80
64262U	TB-06x04-04RE	Transition Box 150x100 mm (6x4"), 100 (4") ring end	55,80
64263W	TB-08x04-04RE	Transition Box 200x100 mm (8x4"), 100 (4") ring end	55,80

Part No.	Model	Description	Euro
64264Y	TB-10x04-04RE	Transition Box 250x100 mm (10x4"), 100 (4") ring end	55,80
64265A	TB-10x06-05RE	Transition Box 250x150 mm (10x6"), 125 (5") ring end	55,80
Return Air Grilles (anodized aluminum)			
<i>Fixed Inserts</i>			
63995K	K275 2x2	Aluminum Return Air Grille 200x200 mm (8x8")	35,10
60813E	K275 3x2	Aluminum Return Air Grille 300x200 mm (12x8")	45,40
61380Z	K275 3x3	Aluminum Return Air Grille 300x300 mm (12x12")	55,70
63983C	K275 4x2,5	Aluminum Return Air Grille 400x250 mm (16x10")	61,90
60862N	K275 4x3	Aluminum Return Air Grille 400x300 mm (16x12")	66,00
61381A	K275 4x4	Aluminum Return Air Grille 400x400 mm (16x16")	80,50
Insulated, Flexible Duct			
66013G	PVC-ISO 102	100 mm (4") internal dia., insulated, flexible duct - per meter	22,80
60490D	PVC-ISO 127	125 mm (5") internal dia., insulated, flexible duct - per meter	26,80
60358V	PVC-ISO 152	150 mm (6") internal dia., insulated, flexible duct - per meter	31,10
Supply Air Grille (anodized aluminum)			
<i>4 way inserts</i>			
63922F	K201-06x04	Aluminum 4 way Supply Grille, 150x100 mm (6x4")	24,80
63923H	K201-08x04	Aluminum 4 way Supply Grille, 200x100 mm (8x4")	24,80
63073K	K201-08x06	Aluminum 4 way Supply Grille, 200x150 mm (8x6")	29,80
63074M	K201-08x08	Aluminum 4 way Supply Grille, 200x200 mm (8x8")	34,70
63075P	K201-10x04	Aluminum 4 way Supply Grille, 250x100 mm (10x4")	29,80
63076S	K201-10x06	Aluminum 4 way Supply Grille, 250x150 mm (10x6")	34,70
63077U	K201-10x08	Aluminum 4 way Supply Grille, 250x200 mm (10x8")	41,30
Teak Supply Air Grilles			
<i>4 way inserts</i>			
64195F	VHT04x04	Teak 4 way Supply Grille, 100x100 mm (4x4")	107,60
64534B	VHT06x04	Teak 4 way Supply Grille, 150x100 mm (6x4")	126,60
64535D	VHT08x04	Teak 4 way Supply Grille, 200x100 mm (8x4")	120,90
64536F	VHT08x06	Teak 4 way Supply Grille, 200x150 mm (8x6")	120,90
64452Z	VHT08x08	Teak 4 way Supply Grille, 200x200 mm (8x8")	126,60
61652S	VHT10x04	Teak 4 way Supply Grille, 250x100 mm (10x4")	120,90
61653U	VHT10x06	Teak 4 way Supply Grille, 250x150 mm (10x6")	126,60
64361W	VHT10x10	Teak 4 way Supply Grille, 250x250 mm (10x10")	126,60
Round Plastic Supply Grilles			
<i>Damper Vent, Off</i>			
62209D	RND DAMP4" B	100 mm (4") Round Damper Vent , Off, black	12,30
62210M	RND DAMP4" W	100 mm (4") Round Damper Vent , Off, white	12,30

Part No.	Model	Description	Euro
ULTRAFLEX®-UFLEX® - DISPLAYS AND MARKETING ITEMS			
<i>Stand for Product Display</i>			
67436T		Aluminum Stand for Ultraflex Wheels	173,00
<i>Adhesives</i>			
65360Z		Transparent vinyl Uflex adhesive	4,10
65359R		Transparent vinyl Ultraflex adhesive	2,10
<i>Forex</i>			
65369U		Dimensions: cm 70 x 100 (2.29' x 3.28')	79,00
65370C		Dimensions: cm 119 x 168 (3.9' x 5.5')	246,00
<i>Uflex Flag</i>			
65226V		Dimensions: cm 150 x 225 (4.92' x 7.38')	72,00
<i>Uflex Shirt</i>			
65355G		Size S	42,00
65356J		Size M	42,00
65357L		Size L	42,00
65358N		Size XL	42,00
<i>Uflex Cap</i>			
65613C		Heavy cotton cap with adjustable back strip	8,00
<i>Forex with Digital Photo and Video Frame</i>			
68178C		ULTRAFLEX® Forex with digital photo frame, memory card included	180,00
68177A		UFLEX® Forex with digital photo frame, memory card included	180,00



UFLEX S.r.l.
Via Milite Ignoto 8A
16012 Busalla (GE) - Italia
T +39 010 9620310 F +39 010 9620333
ut@ultraflexgroup.it
www:ultraflexgroup.it

